

# ButterflyGyro


### STIM210 Multi-Axis Gyro Module

#### 1 FEATURES

- o Miniature package
- o Low noise
- Low bias instability
- Excellent performance in vibration and shock environments
- o 1, 2 or 3 axes offered in same package
- Electronically calibrated axis alignment
- Single-crystal silicon technology
  - No intrinsic wear-out effects
- o Insensitive to magnetic fields
- Full EMI compliance
- Digital interface, RS422
- Fully configurable:
  - o 5 different sample rates
  - 5 different bandwidths
    - LP filter -3dB frequency can be set individually for each axis
    - o RS422 protocol, bit-rate and line termination
    - Selectable output unit: angular rate [deg/s], incremental angle [deg], average angular rate [deg/s] or integrated angle [°]
  - External Trigger input and Time Of Validity output to enable synchronization
- Continuous self-diagnostics
- RoHS compatible

0

(38.6mm x 44.8mm x 21.5mm)



#### 2 GENERAL DESCRIPTION

#### Figure 1-1: STIM210 FUNCTION BLOCK DIAGRAM

STIM210 is a cluster of 1, 2 or 3 high accuracy MEMS-based gyros in a miniature package. Any configuration of axes can be provided. Each axis is factory-calibrated for bias, sensitivity and compensated for temperature effects to provide high-accuracy measurements in the temperature range -40°C to +85°C. The unit runs off a single +5V supply.

STIM210 communicates via a standard high-level RS422 interface. The use of a 32 bit RISC ARM microcontroller provides flexibility in the configuration, like choice of output unit, sample rate, LP filter -3dB frequency and RS422 bit-rate and protocol parameters. All configurable parameters can be defined when ordering or set by customer.

When STIM210 is powered up, it will perform an internal system check and synchronize the gyros. As an acknowledgement of the complete power-up sequence, it will provide special datagrams containing data, like part number, serial number, number of active axis and configuration parameters as mentioned above. STIM210 will then automatically proceed to provide measurement data. Connect power and STIM210 will provide accurate gyro measurements over the RS422 interface without any interaction with the device.

The measurement data is transmitted as packages of data on a fixed format (datagram) at intervals given by the sample rate. The datagram is in binary coded format in order to have an efficient transfer of data. In addition to the measurement data itself, the datagram contains an identifier, a status byte and a CRC (Cyclic Redundancy Check) byte to provide high degree of fault detection in the transmissions. The status byte will flag any detected errors in the system.

For more advanced users, the gyro may be put in Service Mode. In this mode all the configuration parameters can be intermediately or permanently changed by overwriting the current settings in the flash memory. In Service Mode the commands and responses are in a human readable format; to enable the use of terminal-type software during typical product integration. Service Mode also provides the ability to perform single measurements, perform diagnostics and obtain a higher detail level of detected errors reported in the status byte.





#### 3 TABLE OF CONTENTS

	FEATURES	
	GENERAL DESCRIPTION	
	TABLE OF CONTENTS	
	DEFINITIONS AND ABBREVIATIONS USED IN DOCUMENT	
4.1		
4.2		
-	ABSOLUTE MAXIMUM RATINGS	-
	SPECIFICATIONS	.3
6.1		
-	6.1.1 Root Allan Variance	
-	6.1.2 Initial bias drift	
	6.1.3 Bias drift over temperature	
6	6.1.4 Frequency characteristics	
6.2	0 1	
6.3	5 1	
6.4		
	MECHANICAL	
7.1		
7.2	- ····································	
7.3	0	
7.4		
	BASIC OPERATION	
8.1		
8.2		
8.3		
8.4		
	8.4.1 Init Mode	
-	8.4.2 Normal Mode	
8	8.4.3 Service Mode	
8.5	5	
9 (	COMMANDS IN NORMAL MODE	27
9 (	1 N (PART NUMBER DATAGRAM) command	
9 (		27
	2 I (SERIAL NUMBER DATAGRAM) command	27 27
9.1	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li> <li>C (CONFIGURATION DATAGRAM) command</li></ul>	27 27 28
9.1 9.2	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li> <li>C (CONFIGURATION DATAGRAM) command</li> <li>E (EXTENDED ERROR INFORMATION DATAGRAM) command</li></ul>	27 27 28 28
9.1 9.2 9.3	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li></ul>	27 27 28 28 28 28
9.1 9.2 9.3 9.4	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li> <li>C (CONFIGURATION DATAGRAM) command</li> <li>E (EXTENDED ERROR INFORMATION DATAGRAM) command</li> <li>R (RESET) command</li> <li>SERVICEMODE command</li> </ul>	27 27 28 28 28 28 29
9.1 9.2 9.3 9.4 9.5	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li></ul>	27 28 28 28 28 29 30
9.1 9.2 9.3 9.4 9.5 9.6 10 10.	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li> <li>C (CONFIGURATION DATAGRAM) command.</li> <li>E (EXTENDED ERROR INFORMATION DATAGRAM) command</li> <li>R (RESET) command.</li> <li>SERVICEMODE command.</li> <li>COMMANDS IN SERVICE MODE</li> <li>i (INFORMATION) command</li> </ul>	27 27 28 28 28 29 30 31
9.1 9.2 9.3 9.4 9.5 9.6 10	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li></ul>	27 27 28 28 28 29 30 31
9.1 9.2 9.3 9.4 9.5 9.6 10 10.	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li></ul>	27 27 28 28 28 29 30 31 34 35
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10.	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li> <li>C (CONFIGURATION DATAGRAM) command</li> <li>E (EXTENDED ERROR INFORMATION DATAGRAM) command</li> <li>R (RESET) command</li> <li>SERVICEMODE command</li> <li>COMMANDS IN SERVICE MODE</li> <li>i (INFORMATION) command</li> <li>a (SINGLE-SHOT MEASUREMENT) command</li> <li>c (DIAGNOSTIC) command</li> <li>d (DATAGRAM FORMAT) command</li> </ul>	27 27 28 28 28 29 30 31 34 35 37
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10.	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li> <li>C (CONFIGURATION DATAGRAM) command.</li> <li>E (EXTENDED ERROR INFORMATION DATAGRAM) command</li> <li>R (RESET) command.</li> <li>SERVICEMODE command.</li> <li>COMMANDS IN SERVICE MODE</li> <li>i (INFORMATION) command</li> <li>a (SINGLE-SHOT MEASUREMENT) command.</li> <li>c (DIAGNOSTIC) command</li> <li>d (DATAGRAM FORMAT) command.</li> <li>t (TRANSMISSION PARAMETERS) command</li> </ul>	27 28 28 28 29 30 31 34 35 37 38
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10. 10.	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li> <li>C (CONFIGURATION DATAGRAM) command.</li> <li>E (EXTENDED ERROR INFORMATION DATAGRAM) command</li> <li>R (RESET) command.</li> <li>SERVICEMODE command.</li> <li>COMMANDS IN SERVICE MODE</li> <li>i (INFORMATION) command</li> <li>a (SINGLE-SHOT MEASUREMENT) command.</li> <li>c (DIAGNOSTIC) command</li> <li>d (DATAGRAM FORMAT) command</li> <li>t (TRANSMISSION PARAMETERS) command</li> <li>r (TERMINATION) command</li> </ul>	27 28 28 28 29 30 31 34 35 37 38
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10. 10. 10.	<ul> <li>I (SERIAL NUMBER DATAGRAM) command</li></ul>	27 28 28 29 30 31 34 35 37 38 40 41
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10. 10. 10. 10.	2       I (SERIAL NUMBER DATAGRAM) command	27 28 28 29 30 31 33 37 38 40 41 42
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10. 10. 10.	2       I (SERIAL NUMBER DATAGRAM) command	27 28 28 29 31 33 37 38 40 41 42 43
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10. 10. 10. 10. 10.	2       I (SERIAL NUMBER DATAGRAM) command	27 28 28 29 31 34 35 37 38 40 41 42 43 44
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10. 10. 10. 10. 10.	2       I (SERIAL NUMBER DATAGRAM) command         3       C (CONFIGURATION DATAGRAM) command         4       E (EXTENDED ERROR INFORMATION DATAGRAM) command         5       R (RESET) command         6       SERVICEMODE command         7       u (INFORMATION) command         8       r (TERMINATION) command         9       m (SAMPLE RATE) command         9       m (SAMPLE RATE) command         9       m (SAMPLE RATE) command	27 228 228 229 31 34 35 38 41 42 43 44 5
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10. 10. 10. 10. 10.	2       I (SERIAL NUMBER DATAGRAM) command         3       C (CONFIGURATION DATAGRAM) command         4       E (EXTENDED ERROR INFORMATION DATAGRAM) command         5       R (RESET) command         6       SERVICEMODE command         6       SERVICE MODE         7       i (INFORMATION) command         7       a (SINGLE-SHOT MEASUREMENT) command         7       a (DIAGNOSTIC) command         7       c (DIAGRAM FORMAT) command         8       f (TRANSMISSION PARAMETERS) command         9       r (TERMINATION) command         9       m (SAMPLE RATE) command         9       m (SAMPLE RATE) command         9       m (SAVE) command         10       s (SAVE) command         11       x (EXIT) command         12       z (RESTORE TO FACTORY SETTINGS) command	27 228 229 334 357 380 412 445 445 47
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10. 10. 10. 10. 10.	2       I (SERIAL NUMBER DATAGRAM) command         3       C (CONFIGURATION DATAGRAM) command         4       E (EXTENDED ERROR INFORMATION DATAGRAM) command         5       R (RESET) command         6       SERVICEMODE command         7       u (INFORMATION) command         8       r (TERMINATION) command         9       m (SAMPLE RATE) command         9       m (SAMPLE RATE) command         9       m (SAMPLE RATE) command	27 228 229 334 357 380 412 445 445 47
9.1 9.2 9.3 9.4 9.5 9.6 10 10. 10. 10. 10. 10. 10. 10. 10. 10.	2       I (SERIAL NUMBER DATAGRAM) command         3       C (CONFIGURATION DATAGRAM) command         4       E (EXTENDED ERROR INFORMATION DATAGRAM) command         5       R (RESET) command         6       SERVICEMODE command         6       SERVICE MODE         7       i (INFORMATION) command         7       a (SINGLE-SHOT MEASUREMENT) command         7       a (DIAGNOSTIC) command         7       c (DIAGRAM FORMAT) command         8       f (TRANSMISSION PARAMETERS) command         9       r (TERMINATION) command         9       m (SAMPLE RATE) command         9       m (SAMPLE RATE) command         9       m (SAVE) command         10       s (SAVE) command         11       x (EXIT) command         12       z (RESTORE TO FACTORY SETTINGS) command	277888901457801445792 2888901457801423445792



STIM210 Multi-Axis Gyro Module

#### 4 DEFINITIONS AND ABBREVIATIONS USED IN DOCUMENT

#### 4.1 Definitions

 $1g = 9.80665 \text{m/s}^2$ 

#### 4.2 Abbreviations

### Table 4-1: Abbreviations

ABBREVIATION	FULL NAME
BCD	Binary Coded Decimal
CIC-filter	Cascaded Integrator Comb filter
CR	Carriage Return
ESD	Electro-Static Discharge
ExtTrig	External Trigger
GND	Ground
LF	Line Feed
LP filter	Low-Pass filter
NRST	Negative (active) Reset
rms	Root mean square
RxD	Receive Data
TOV	Time Of Validity
TxD	Transmit Data
VSUP	Voltage supply

#### 5 ABSOLUTE MAXIMUM RATINGS

Stresses beyond those listed in Table 5-1 may cause permanent damage to the device. Exposure to any Absolute Maximum Rating condition for extended periods may affect device reliability and lifetime.

Parameter	Rating	Comment
Mechanical shock	1 500g/0.5ms half-sine	Any direction. Ref: MIL STD-883G
ESD human body model	±2kV	Ref: JEDEC/ESDA JS-001
Storage temperature	-55°C to +90°C	Up to 1000 hours
VSUP to GND	-0.5 to +7V	
RxD+ or RxD- to GND	-0.3V to +7V	
RxD+ to RxD-	±6V	with $120\Omega$ Line Termination = ON
TxD+ or TxD- to GND	-8V to +8V	
ExtTrig to GND	-0.3V to +7V	
TOV to GND	-0.3V to +7V	
NRST to GND	-0.3V to +7V	
Chassis to GND	500VDC	
Helium sensitivity		Not to be exposed to helium concentrations higher
		than those normally found in the atmosphere

#### 6 SPECIFICATIONS

#### Table 6-1: Operating conditions

Parameter	Conditions	Min	Nom	Max	Unit	Note
INPUT RANGE			±400		°/s	
POWER SUPPLY		4.5	5.0	5.5	V	
OPERATING TEMPERATURE		-40		+85	°C	



*ButterflyGyro*™

### STIM210 Multi-Axis Gyro Module

able 6-2: Functional specification	Conditions	Min	Nom	Max	Unit	Note
POWER CONSUMPTION	Conditions	141111	Nom	INIAA	Unit	NOLE
Power consumption				1.5	W	
TIMING				1.0		
Start-Up time after Power-On				0.3	s	1
Time to transmit after Reset				0.3	S	2
Time to valid data			0.7	0.2	s	3
	T=+25°C		0.7	1	s	3
RS422 Bit-Rate	1-120 0		ref. Table 6-5	·	U	Ŭ
RS422 Bit-Rate Accuracy				±1	%	
RS422 PROTOCOL					,,,,	
Start Bit			1		bit	
Data Length			8		bits	
Parity			None			4
Stop-bits			1		bit	4
RS422 LINE TERMINATION						
Input resistance	Line termination = ON		120		Ω	
Input resistance	Line termination = OFF	48	125		kΩ	
RÉSET (NRST PIN)						
Logic levels	"high"	2.3			V	
,	"low"			0.6	V	
Minimum hold time for reset		1			μs	
Pull-Up Resistor		80	100		kΩ	
EXTERNAL TRIGGER						
Logic levels	"high"	2.3			V	
	"low"			0.6	V	
Trigger		Ν	egative transiti	on		
Minimum "high" time before trigger,		250			ns	5
t <sub>ext_hi</sub>						
Minimum "low" time after trigger,		250			ns	5
t <sub>ext_lo</sub>						
Delay from external trigger to start				86	μs	5
of transmission, t <sub>ext_dl</sub>						
Time between triggers	Measurement.unit:					
	angular rate	0.5		127	ms	6,7
	incremental angle	0.5		127	ms	6,8
	average rate	0.5		65	ms	6,9
	integrated angle	0.5		8	ms	6,10
Pull-Up Resistor		40	50		kΩ	
Latency				1000	μs	
TIME OF VALIDITY (TOV PIN)			<b>.</b>			
Output configuration			Open drain			
Internal Pull-Up Resistor to Vsup			10		kΩ	
Sink capability			A (' (1) 1)	50	mA	
TOV active level		50	Active "low"			
Minimum time of TOV, t <sub>tov_min</sub>		50			μs	11
Delay from internal time-tick to			0.5	6	μs	11
TOV active, t <sub>tov_dl</sub>					'	
Delay from TOV "low" to start of				80	μs	11
transmission, <u>t<sub>tx dl</sub></u>					<u> </u>	
	500)/DC	400				
	200VDC	100			IVIL2	
CHASSIS Isolation resistance chassis to GND (pin 15)	500VDC	100			ΜΩ	

Table 6-2: Functional specifications, general

Note 1: Time from Power-On to start of datagram transmissions (starting with part-number datagram)

Note 2: Time from Reset release to start of datagram transmissions (starting with part-number datagram)

Note 3: Time from Power-On or Reset to the reset of the Start-Up bit (Bit 6 in the STATUS byte ref. Table 6-13).

During this period the output data should be regarded as non-valid

Note 4: Other values can be configured, ref. Table 6-5

Note 5: For definition, ref. Figure 8-3

Note 6: If time between triggers is longer than 127ms, the sample counter will over-run



DATASHEET

### STIM210 Multi-Axis Gyro Module

- Note 7: Time between triggers should be carefully evaluated as long time between triggers in combination with high bandwidths could lead to issues related to folding
- Note 8: If time between triggers is longer than 8ms, an overload may occur in the incremental angle. An overload will be flagged in the status byte, ref. Table 6-13
- Note 9: If time between triggers is longer than specified, the accuracy of average rate may be reduced
- Note 10: If time between triggers is longer than specified, the integrated angle may have wrapped several times and hence the change in angle from last sample will not be possible to calculate

Note 11: For definition, ref. Figure 8-4 and Figure 8-5

#### Table 6-3: Functional specifications, gyros

Parameter	Conditions	Min	Nom	Max	Unit	Note
Full Scale (FS)			±400		°/s	1
Resolution			24		bits	
			0.22		°/h	
Scale Factor Accuracy			±500		ppm	
Non-Linearity	±200°/s		15		ppm	2
	±400°/s		25		ppm	2
Bandwidth (-3dB)			262		Hz	3
Sample Rate				2000	samples/s	4
Group Delay			2.2		ms	5
Bias Range		-250	0	+250	°/h	
Bias Run-Run			4		°/h	
Bias error over temperature	Static temperatures		9		°/h	6
Bias error over temperature gradients	ΔT <u>&lt;</u> ±1°C/min		10		°/h	7
Bias Instability	Allan Variance @25°C		0.3		°/h	
Angular Random Walk	Allan Variance @25°C		0.15		°/√hr	
Linear Acceleration Effect			7		°/h /g	8
Vibration Rectification Coefficient		F	Ref. Figure	6-1	°/h /g <sub>rms</sub> ²	
Misalignment						
STIM210Z (1 axis version)			5		mrad	9
STIM210XY,XZ,YZ (2 axis version)			5		mrad	9
STIM210 (3 axis version)			1		mrad	9

Note 1: Output is monotonous and will saturate at ±480°/s

Note 2: Largest deviation from BSL (Best Straight Line) over the range specified

Note 3: Low-pass filter -3dB frequency can be configured, ref. Table 6-5 and section 6.1.4

Note 4: Other values can be configured, ref. Table 6-5

Note 5: Specified group delay is valid for a filter setting = 262Hz. See Table 6-5 to find group delay for other filtersettings. Total delay to start of datagram transmission = group delay +  $0.5ms + t_{toy dl} + t_{tx dl}$ 

Note 6: rms-value calculated on the residuals at static temperatures over the temperature range

Note 7: rms-value calculated on the residual over two temperature-cycles, ref. Figure 6-4

Note 8: Section 7.2 gives advice on sensitive directions

Note 9: Ref. Figure 7-5 for definition of reference points used in axis alignment





STIM210 Multi-Axis Gyro Module




Figure 6-1: Nominal VRC at 20g rms for gyros (ref. section 7.2 for sensitive directions to acceleration-forces)

#### Table 6-4: Functional specifications, temperature

Parameter	Conditions	Conditions Min Nom Max					
Bias Accuracy	@25°C		±5		°C	1	
Scale factor accuracy			±5		%		
Scale factor accuracy			±5		%		

Note 1: Temperature is calibrated to reflect ambient temperature and not the internal temperature.

#### 6.1 TYPICAL PERFORMANCE CHARACTERISTICS

#### 6.1.1 Root Allan Variance




Figure 6-2: Typical Root Allan-Variance





### STIM210 Multi-Axis Gyro Module

### 6.1.2 Initial bias drift





Figure 6-3: Typical normalized initial bias drift



#### 6.1.3 Bias drift over temperature

Figure 6-4: Typical Bias drift over temperature





STIM210 Multi-Axis Gyro Module

#### 6.1.4 Frequency characteristics




Figure 6-5: Frequency characteristics with low-pass filter -3dB frequency set to 16Hz




Figure 6-6: Frequency characteristics with low-pass filter -3dB frequency set to 33Hz




Figure 6-7: Frequency characteristics with low-pass filter -3dB frequency set to 66Hz



# ButterflyGyro<sup>™</sup>

STIM210 Multi-Axis Gyro Module




Figure 6-8: Frequency characteristics with low-pass filter -3dB frequency set to 131Hz




Figure 6-9: Frequency characteristics with low-pass filter -3dB frequency set to 262Hz





### 6.2 Configurable parameters

#### Table 6-5: Configurable parameters

Parameter	Configurations		Comments
DATAGRAM FORMAT	Standard		Contains measurements and status byte
	Extended		For future use
	Rate and temperative	ature	
	Rate and counter		
	Rate and latency		
	Rate, counter and		
	Rate, temperatur		
	Rate, temperatur		
	Rate, temperatur		
	latency	-,	
DATAGRAM TERMINATION	NONE		
	<cr><lf></lf></cr>		
MEASUREMENT UNIT	Angular rate [°/s]		
	Incremental angle	e [°/sample]	
	Average angular		
	Integrated angle		
SAMPLE RATE	125 samples/s	L J	
	250 samples/s		
	500 samples/s		
	1000 samples/s		
	2000 samples/s		
	External trigger		
LOW-PASS FILTER -3dB	-3dB freq.:	Filter group	Filter settings are independent of sample rate.
FREQUENCY	• • • • • • •	delay:	Low-pass filters are CIC type filters with linear
	16Hz	24.7ms	phase response.
	33Hz	12.7ms	Filter settings can be set individually for each
	66Hz	6.7ms	axis.
	131Hz	3.7ms	Total delay to the start of datagram
	262Hz	2.2ms	transmission = group delay + $0.5$ ms + t <sub>tov_dl</sub> +
	202112	2.2110	t <sub>tx dl</sub>
RS422 BIT-RATE	374400 bits/s		Some limitations apply to the use of 374400
	460800 bits/s		and 460800 bits/s, dependent on chosen
	921600 bits/s		sample rate and datagram format, ref Table
	1843200 bits/s		6-12.
	User-defined		For user-defined bit-rates, see section 10.5
RS422 PARITY	None		
	Odd		
	Even		
RS422 STOP-BITS	1 stop-bit		
	2 stop-bits		
RS422 120Ω LINE	OFF		
TERMINATION	ON		

Refer to section 12 for information on how to configure STIM210 when ordering.





#### 6.3 Datagram specifications

Byte#				Bi	t#				Specification
	7	6	5	4	3	2	1	0	
									Part Number datagram identifier:
0	0	1	0	1	0	1	0	0	0x54 for datagrams without CR+LF termination
	0	1	0	1	0	1	1	0	0x56 for standard datagrams w.CR+LF
1	0	0	0	0	P1 <sub>3</sub>	P1 <sub>2</sub>	P11	P1 <sub>0</sub>	Low nibble: 1.digit (BCD) of part number
2	P2 <sub>3</sub>	P2 <sub>2</sub>	P2 <sub>1</sub>	P2 <sub>0</sub>	P33	<b>D</b> 2	P3₁	P3 <sub>0</sub>	High nibble: 2.digit (BCD) of part number
2	FZ3	FZ2	ΓΖ1	FZ0	F33	P3 <sub>2</sub>	го <sub>1</sub>	г <b>э</b> 0	Low nibble: 3.digit (BCD) of part number
3	P43	P42	P4₁	P40	P53	P52	P5₁	P50	High nibble: 4.digit (BCD) of part number
3	F 43	F 42	F 41	F 40	F <b>J</b> 3	F <b>J</b> 2	FJ1	F <b>J</b> <sub>0</sub>	Low nibble: 5.digit (BCD) of part number
4	0	0	1	0	1	1	0	1	ASCII character "-" (0x2D)
5	P63	P62	P6₁	P60	P73	P72	P7₁	<b>P7</b> ₀	High nibble: 6.digit (BCD) of part number
5	1 03	1 02	101	100	173	172	1 / 1	170	Low nibble: 7.digit (BCD) of part number
6	P83	P8 <sub>2</sub>	P8₁	P80	P93	P9 <sub>2</sub>	P9₁	P90	High nibble: 8.digit (BCD) of part number
-	Ŭ	102	101	100	1 03	1 52			Low nibble: 9.digit (BCD) of part number
7	0	0	1	0	1	1	0	1	ASCII character "-"(0x2D)
8	P10.	P10.	P10.	P100	D11.	D11.	D11.	P11₀	High nibble: 10.digit (BCD) of part number
0	1 103	1 102	1 101	1 100	1 113	1 1 1 2	1 1 1 1	1 1 10	Low nibble: 11.digit (BCD) of part number
9	P11.	P11	P11.	P11 <sub>0</sub>	P13	P13.	P13,	P13.	High nibble: 12.digit (BCD) of part number
5	1 113	1 1 12	1 1 1 1	1 1 10	1 103	1 102	1 101	1 100	Low nibble: 13.digit (BCD) of part number
10	r <sub>7</sub>	r <sub>6</sub>	r <sub>5</sub>	r₄	r <sub>3</sub>	$\mathbf{r}_2$	r <sub>1</sub>	r <sub>o</sub>	Part number revision. Content of byte represents the ASCII character of the revision.
10	17	16	15	•4	13	12	11	10	Numbering sequence: "-", "A", "B",, "Z"
									Cyclic Redundancy Check is performed on all preceding bytes and is generated from the
11	C7	<b>C</b> <sub>6</sub>	<b>C</b> 5	<b>C</b> 4	<b>C</b> <sub>3</sub>	<b>C</b> <sub>2</sub>	<b>C</b> <sub>1</sub>	$\mathbf{C}_0$	polynomial:
(									$x^8 + x^2 + x + 1$ , seed = 0xFF
(12)	0	0	0	0	1	1	0	1	<cr> only when <cr><lf> datagram termination have been chosen</lf></cr></cr>
(13)	0	0	0	0	1	0	1	0	<lf> only when <cr><lf> datagram termination have been chosen</lf></cr></lf>

#### Table 6-6: Specification of the Part Number datagram

#### Table 6-7: Specification of the Serial Number datagram

Byte#				Bi	t#				Specification
	7	6	5	4	3	2	1	0	
									Serial Number datagram identifier:
0	0	1	0	1	1	0	1	0	0x5A for datagrams without CR+LF termination
	0	1	0	1	1	0	0	0	0x5C for standard datagrams w.CR+LF
1	0	1	0	0	1	1	1	0	ASCII character for letter "N"
2	S1 <sub>3</sub>	S1 <sub>2</sub>	S1₁	S1 <sub>0</sub>	S2 <sub>3</sub>	S2 <sub>2</sub>	S21	S2 <sub>0</sub>	High nibble: 1.digit (BCD) of serial number
2	513	512	511	510	523	522	021	520	Low nibble: 2.digit (BCD) of serial number
3	S3₃	S32	S3₁	S30	S43	S42	S41	S40	High nibble: 3.digit (BCD) of serial number
5	553	552	551	550	043	042	041	540	Low nibble: 4.digit (BCD) of serial number
4	S53	S52	S5₁	S50	S63	S62	S6₁	S60	High nibble: 5.digit (BCD) of serial number
-	003	002	001	000	003	002	001	000	Low nibble: 6.digit (BCD) of serial number
5	S73	S72	S7₁	S70	S83	S8 <sub>2</sub>	S8₁	S80	High nibble: 7.digit (BCD) of serial number
	0.3	0.2	0.1	0.0	003	002	001	000	Low nibble: 8.digit (BCD) of serial number
6	S93	S92	S9₁	S90	S10₃	S102	S101	S10 <sub>0</sub>	High nibble: 9.digit (BCD) of serial number
	003	002	001	000	0103	0102	0101	0.00	Low nibble: 10.digit (BCD) of serial number
7	S11 <sub>2</sub>	S11 <sub>2</sub>	S11₁	S11 <sub>0</sub>	S11 <sub>2</sub>	S11 <sub>2</sub>	S11₁	S11	High nibble: 11.digit (BCD) of serial number
-	• • • •	02	•	0.10	<b>e</b> 3	02	•	0.10	Low hibble. 12.digit (BCD) of senal humber
8	S132	S132	S13₁	S130	S14 <sub>2</sub>	S142	S14₁	S14 <sub>0</sub>	High nibble: 13.digit (BCD) of serial number
	-								Low hibble. 14.digit (BCD) of serial humber
9	х	Х	х	х	х	Х	х	х	For future use.
10	Х	Х	Х	х	х	Х	Х	Х	For future use.
									Cyclic Redundancy Check is performed on all preceding bytes and is generated from
11	C <sub>7</sub>	<b>C</b> <sub>6</sub>	<b>C</b> <sub>5</sub>	<b>C</b> <sub>4</sub>	<b>C</b> <sub>3</sub>	<b>C</b> <sub>2</sub>	C <sub>1</sub>	<b>C</b> <sub>0</sub>	the polynomial:
(10)									$x^{8} + x^{2} + x + 1$ , seed = 0xFF
(12)	0	0	0	0	1	1	0	1	<cr> only when <cr><lf> datagram termination have been chosen</lf></cr></cr>
(13)	0	0	0	0	1	0	1	0	<lf> only when <cr><lf> datagram termination have been chosen</lf></cr></lf>





able 6-8: Byte#	ope	CIIIC	alion		it#	migu	Iralic	ua ua	Specification
Dyle#	7	6	5	4	3	2	1	0	Specification
	-	-				_	-		Configuration datagram identifier:
0	0	0	1	0	1	0	0	0	0x28 for datagrams without CR+LF termination
	0	0	1	0	1	0	1	1	0x2B for standard datagrams w.CR+LF
1	r <sub>7</sub>	r <sub>6</sub>	<b>r</b> 5	r <sub>4</sub>	r <sub>3</sub>	r <sub>2</sub>	r <sub>1</sub>	r <sub>o</sub>	Part number revision. Content of byte represents the ASCII character of the
									revision. Numbering sequence: "-", "A", "B",, "Z"
2 3	f <sub>7</sub>	f <sub>6</sub>	f <sub>5</sub>	f <sub>4</sub>	f <sub>3</sub>	f <sub>2</sub>	f <sub>1</sub>	f <sub>0</sub>	Firmware revision. Numbering sequence: 0, 1,, 255
3	h <sub>7</sub>	h <sub>6</sub>	h <sub>5</sub>	h <sub>4</sub>	h <sub>3</sub>	h <sub>2</sub>	h <sub>1</sub>	h <sub>0</sub>	Hardware revision. Numbering sequence: 0, 1,, 255 System configuration, Byte 1:
	0	x	х	x	x	х	x	х	Z axis is inactive
	1	x	x	x	x	x	x	x	Z axis is active
	х	1	0	0	х	х	х	х	LP filter -3dB frequency for Z axis = 262Hz
	х	0	1	1	х	х	х	х	LP filter -3dB frequency for Z axis = 131Hz
	х	0	1	0	х	х	х	х	LP filter -3dB frequency for Z axis = 66Hz
4	X	0	0	1	X	х	X	х	LP filter -3dB frequency for Z axis = 33Hz
4	x x	0 x	0 x	0 x	x 0	x x	x x	X X	LP filter -3dB frequency for Z axis = 16Hz Y-axis is inactive
	x	x	x	x	1	x	x	x	Y-axis is active
	x	x	x	x	x	1	Ô	Ô	LP filter -3dB frequency for Y axis = $262Hz$
	х	х	х	х	х	0	1	1	LP filter -3dB frequency for Y axis = 131Hz
	х	х	х	х	х	0	1	0	LP filter -3dB frequency for Y axis = 66Hz
	х	х	х	х	х	0	0	1	LP filter -3dB frequency for Y axis = 33Hz
	х	х	Х	Х	Х	0	0	0	LP filter -3dB frequency for Y axis = 16Hz
	0	x	x	x	x	x	x	x	System configuration, Byte 2: X-axis is inactive
	1	x	x	x	x	x	x	x	X-axis is active
	x	1	0	0	x	x	x	x	LP filter -3dB frequency for X axis = 262Hz
	х	0	1	1	х	х	х	х	LP filter -3dB frequency for X axis = 131Hz
	х	0	1	0	х	х	х	х	LP filter -3dB frequency for X axis = 66Hz
	х	0	0	1	х	х	х	х	LP filter -3dB frequency for X axis = 33Hz
5	X	0	0	0	X	X	X	X	LP filter -3dB frequency for X axis = 16Hz
	x x	X X	X X	X X	1	0	1	X X	Sample rate = External trigger Sample rate = 2000 samples/s
	x	x	x	x	0	1	1	x	Sample rate = 2000 samples/s
	x	x	x	x	Ő	1	0	x	Sample rate = 500 samples/s
	х	х	х	х	0	0	1	х	Sample rate = 250 samples/s
	х	х	х	х	0	0	0	х	Sample rate = 125 samples/s
	х	х	х	х	х	х	х	0	Output unit = ANGULAR RATE
	х	х	х	х	Х	х	х	1	Output unit = other than ANGULAR RATE (ref. byte#8) System configuration, Byte 3:
	0	x	х	x	x	x	x	х	Datagram format = STANDARD
	1	x	x	x	x	x	x	x	Datagram format = other than STANDARD (ref. byte#8)
	х	0	1	1	х	х	х	х	Bit-rate = 1843200 bits/s
	х	0	1	0	х	х	х	х	Bit-rate = 921600 bits/s
	х	0	0	1	х	х	х	х	Bit-rate = 460800 bits/s
0	х	0	0	0	х	х	X	Х	Bit-rate = 374400 bits/s
6	X	1	1	1	x 0	x	X	X	Bit-rate = User-defined, ref.section 10.5 Stop-bit = 1
	x x	X X	X X	X X	1	x x	x x	X X	Stop-bits = $2$
	x	x	x	x	x	0	Ô	x	Parity = none
	х	х	х	х	x	0	1	х	Parity = even
	х	х	х	х	х	1	0	х	Parity = odd
	х	х	х	х	х	х	х	0	Line termination = OFF
7	X	X	X	X	X	X	X	1	Line termination = ON
7	<b>S</b> 7	<b>S</b> <sub>6</sub>	<b>S</b> 5	<b>S</b> 4	<b>S</b> <sub>3</sub>	<b>S</b> <sub>2</sub>	<b>S</b> 1	S <sub>0</sub>	STATUS byte. Ref. Table 6-13 for specification of the STATUS byte.
	0	_	0	0				~	System configuration, Byte 4:
	0	0	0	0	X	X	X	X	
	0	0	0	1	X	X	X	X	
	0	0	1	0	X	X	X	X	
	0	0	1	1	X	X	X	X	Output unit = INTEGRATED ANGLE
	X	X	X	X	0	0	0	0	Datagram format = Standard
8	X	X	X	X	0	0	0	1	Datagram format = Extended
	x	x	х	X	0	0	1	1	Datagram format = Rate and temperature,
	x	x	х	X	0	1	0	0	Datagram format = Rate and counter,
	х	х	х	х	0	1	0	1	Datagram format = Rate and latency
	х	х	х	х	0	1	1	0	Datagram format = Rate, counter and latency
	х	х	х	х	0	1	1	1	Datagram format = Rate, temperature and counter
	х	х	х	х	1	0	0	0	Datagram format = Rate, temperature and latency
	х	х	х	х	1	0	0	1	Datagram format = Rate, temperature, counter and latency





Byte#	Bit#								Specification
	7	6	5	4	3	2	1	0	
									High nibble: Gyro range, x-axis
9	0	0	0	0	х	х	х	х	- 400°/s
9									Low nibble: Gyro range, y-axis
	х	х	х	х	0	0	0	0	- 400°/s
10									High nibble: Gyro range, z-axis
10	0	0	0	0	х	х	х	х	- 400°/s
11	•	•							Cyclic Redundancy Check is performed on all preceding bytes and is
11	<b>C</b> 7	<b>C</b> <sub>6</sub>	<b>C</b> 5	<b>C</b> 4	<b>C</b> <sub>3</sub>	C2	C1	<b>C</b> 0	generated from the polynomial: $x^8 + x^2 + x + 1$ , seed = 0xFF
(12)	0	0	0	0	1	1	0	1	<cr> only when <cr><lf> datagram termination have been chosen</lf></cr></cr>
(13)	0	0	0	0	1	0	1	0	<lf> only when <cr><lf> datagram termination have been chosen</lf></cr></lf>

#### Table 6-9: Specification of the Extended Error Information datagram

Byte#				Bi	it#				Specification
•	7	6	5	4	3	2	1	0	
									Extended Error Information datagram identifier:
0	0	0	1	0	1	1	1	0	0x2E for datagrams without CR+LF termination
	0	0	1	0	1	1	1	1	0x2F for datagrams with CR+LF termination
1	E <sub>79</sub>	E <sub>78</sub>	E <sub>77</sub>	E <sub>76</sub>	E <sub>75</sub>	E <sub>74</sub>	E <sub>73</sub>	E <sub>72</sub>	Ref. Table 6-10
2	E <sub>71</sub>	E <sub>70</sub>	E <sub>69</sub>	E <sub>68</sub>	E <sub>67</sub>	E <sub>66</sub>	E <sub>65</sub>	E <sub>64</sub>	Ref. Table 6-10
3	E <sub>63</sub>	E <sub>62</sub>	E <sub>61</sub>	E <sub>60</sub>	E <sub>59</sub>	E <sub>58</sub>	E <sub>57</sub>	E <sub>56</sub>	Ref. Table 6-10
4	E <sub>55</sub>	E <sub>54</sub>	E <sub>53</sub>	E <sub>52</sub>	E <sub>51</sub>	E <sub>50</sub>	E <sub>49</sub>	E <sub>48</sub>	Ref. Table 6-10
5	E <sub>47</sub>	E <sub>46</sub>	E <sub>45</sub>	E <sub>44</sub>	E <sub>43</sub>	E <sub>42</sub>	E <sub>41</sub>	E <sub>40</sub>	Ref. Table 6-10
6	E <sub>39</sub>	E <sub>38</sub>	E <sub>37</sub>	E <sub>36</sub>	E <sub>35</sub>	E <sub>34</sub>	E <sub>33</sub>	E <sub>32</sub>	Ref. Table 6-10
7	E <sub>31</sub>	E <sub>30</sub>	E <sub>29</sub>	E <sub>28</sub>	E <sub>27</sub>	E <sub>26</sub>	E <sub>25</sub>	E <sub>24</sub>	Ref. Table 6-10
8	E <sub>23</sub>	E <sub>22</sub>	E <sub>21</sub>	E <sub>20</sub>	E <sub>19</sub>	E <sub>18</sub>	E <sub>17</sub>	E <sub>16</sub>	Ref. Table 6-10
9	E <sub>15</sub>	E <sub>14</sub>	E <sub>13</sub>	E <sub>12</sub>	E <sub>11</sub>	E <sub>10</sub>	E9	E <sub>8</sub>	Ref. Table 6-10
10	E <sub>7</sub>	E <sub>6</sub>	E <sub>5</sub>	E <sub>4</sub>	E <sub>3</sub>	E <sub>2</sub>	E1	E <sub>0</sub>	Ref. Table 6-10
									Cyclic Redundancy Check is performed on all preceding bytes and is
11	C7	C <sub>6</sub>	$C_5$	$C_4$	C <sub>3</sub>	$C_2$	$C_1$	$C_0$	generated from the polynomial:
									$x^{8} + x^{2} + x + 1$ , seed = 0xFF
(12)	0	0	0	0	1	1	0	1	<cr> If datagram termination has been selected</cr>
(13)	0	0	0	0	1	0	1	0	<lf> If datagram termination has been selected</lf>

#### Table 6-10: Specification of the Extended Error Information

Bit#	Specification	Bit#	Specification	Bit#	Specification	Bit#	Specification
E <sub>79</sub>	For future use (=0)	E <sub>78</sub>	For future use (=0)	E <sub>77</sub>	For future use (=0)	E <sub>76</sub>	For future use (=0)
E <sub>75</sub>	For future use (=0)	E <sub>74</sub>	For future use (=0)	E <sub>73</sub>	For future use (=0)	E <sub>72</sub>	For future use (=0)
E <sub>71</sub>	For future use (=0)	E <sub>70</sub>	For future use (=0)	E <sub>69</sub>	For future use (=0)	E <sub>68</sub>	GYRO Z: Config,error
E <sub>67</sub>	GYRO Y: Config,error	E <sub>66</sub>	GYRO X: Config.error	E <sub>65</sub>	µC temperature failure	E <sub>64</sub>	GYRO Z: ASIC temp.dev.
E <sub>63</sub>	GYRO Y: ASIC temp.dev	E <sub>62</sub>	GYRO X: ASIC temp.dev	E <sub>61</sub>	GYRO Z: Temp.deviation	E <sub>60</sub>	GYRO Y: Temp.deviation
E <sub>59</sub>	GYRO X: Temp.deviation	E <sub>58</sub>	Self-test not running	E <sub>57</sub>	UART unable to transmit	E <sub>56</sub>	GYRO Z: data missing
E <sub>55</sub>	GYRO Y: Data missing	E <sub>54</sub>	GYRO X: Data missing	E <sub>53</sub>	Transmit stack warning	E <sub>52</sub>	Flash stack warning
E <sub>51</sub>	Sample stack warning	E <sub>50</sub>	Command stack warning	E <sub>49</sub>	Monitor stack warning	E <sub>48</sub>	Internal DAC error
E <sub>47</sub>	Supply overvoltage	E <sub>46</sub>	Flash check error	E <sub>45</sub>	RAM check error	E <sub>44</sub>	GYRO Z: Data lost
E <sub>43</sub>	GYRO Z: Exc.ampl.error	E <sub>42</sub>	GYRO Z: Int.comm.error	E <sub>41</sub>	For future use (=0)	E <sub>40</sub>	For future use (=0)
E <sub>39</sub>	GYRO Z: ASIC overflow, I	E <sub>38</sub>	GYRO Z: ASIC overflow, Q	E <sub>37</sub>	GYRO Y: Data lost	E <sub>36</sub>	GYRO Y: Exc.ampl.error
E <sub>35</sub>	GYRO Y: Int.comm.error	E <sub>34</sub>	For future use (=0)	E <sub>33</sub>	For future use (=0)	E <sub>32</sub>	GYRO Y: ASIC overflow, I
E <sub>31</sub>	GYRO Y: ASIC overflow, Q	E <sub>30</sub>	GYRO X: Data lost	E <sub>29</sub>	GYRO X: Exc.ampl.error	E <sub>28</sub>	GYRO X: Int.comm.error
E <sub>27</sub>	For future use (=0)	E <sub>26</sub>	For future use (=0)	E <sub>25</sub>	GYRO X: ASIC overflow, I	E <sub>24</sub>	GYRO X: ASIC overflow,
							Q
E <sub>23</sub>	Regulated voltage#3 error	E <sub>22</sub>	Regulated voltage#2 error	E <sub>21</sub>	Regulated voltage#1 error	E <sub>20</sub>	Supply voltage error
E <sub>19</sub>	Reference voltage#3 error	E <sub>18</sub>	Reference voltage#2 error	E <sub>17</sub>	Reference voltage#1 error	E <sub>16</sub>	Start-up phase active
E <sub>15</sub>	GYRO Z: Int.comm.error	E <sub>14</sub>	GYRO Y: Int.comm.error	E <sub>13</sub>	GYRO X: Int.comm.error	E <sub>12</sub>	GYRO Z: Clipped
E <sub>11</sub>	GYRO Y: Clipped	E <sub>10</sub>	GYRO X: Clipped	E9	TEMP GYRO Z: Error	E <sub>8</sub>	TEMP GYRO Y: Error
E7	TEMP GYRO X: Error	E <sub>6</sub>	GYRO Z: ASIC temp.error	E₅	GYRO Y: ASIC temp.error	$E_4$	GYRO X: ASIC temp.error
E3	μC temperature error	E <sub>2</sub>	GYRO Z: Exc.freq.error	E <sub>1</sub>	GYRO Y: Exc.freq.error	Eo	GYRO X: Exc.freq.error





## STIM210 Multi-Axis Gyro Module

### Table 6-11: Specification of the Normal Mode datagram

		-		Byte#			-		Bit#							Specification	
Standard datagram	Extended datagram	Rate and temperature	Rate and counter	Rate and latency	Rate, counter and latency	Rate, temperature and counter	Rate, temperature and latency	Rate, temperature, counter and latency	7	6	5	4	3	2	1	0	
									1 1 1	0 0 0	0 0 1	1 1 0	0 0 0	0 0 0	0 1 0	0 0 0	Normal Mode datagram identifier: 0x90 standard datagram 0x92 extended datagram 0xA0 datagram with rate and temperature
0	0	0	0	0	0	0	0	0	1 1 1	0 0 0	1 1 1	0 0 0	0 0 0	0 1 1	1 0 0	0 0 1	0xA2 datagram with rate and counter 0xA4 datagram with rate and latency 0xA5 datagram with rate, counter and latency
									1 1 1	0 0 0	0 1 1	1 0 0	1 0 1	0 1 0	0 1 0	1 0 0	0x99 datagram with rate, temperature and counter 0xA6 datagram with rate, temperature and latency 0xA8 datagram with rate, temperature,
1 2	1 2	1	1	1 2	1 2	1 2	1 2	1 2	x <sub>23</sub> x <sub>15</sub>	x <sub>22</sub> x <sub>14</sub>	x <sub>21</sub> x <sub>13</sub>	x <sub>20</sub> x <sub>12</sub>	X <sub>19</sub> X <sub>11</sub>	x <sub>18</sub> x <sub>10</sub>	X <sub>17</sub> X <sub>9</sub>	X <sub>16</sub> X <sub>8</sub>	counter and latency X axis gyro output. Ref. section 8.4.2.2 for conversion to units
3 4 5	3 4 5	3 4 5	3 4 5	3 4 5	3 4 5	3 4 5	3 4 5	3 4 5	X <sub>7</sub> y <sub>23</sub> y <sub>15</sub>	Х <sub>6</sub> У <sub>22</sub> У <sub>14</sub>	Х <sub>5</sub> У <sub>21</sub> У <sub>13</sub>	X <sub>4</sub> y <sub>20</sub> y <sub>12</sub>	Х <sub>3</sub> У <sub>19</sub> У <sub>11</sub>	х <sub>2</sub> У <sub>18</sub> У <sub>10</sub>	x <sub>1</sub> y <sub>17</sub> y <sub>9</sub>	x <sub>0</sub> y <sub>16</sub> y <sub>8</sub>	Y axis gyro output. Ref. section 8.4.2.2 for conversion to units
6 7 8	6 7 8	6 7 8	6 7 8	6 7 8	6 7 8	6 7 8	6 7 8	6 7 8	У <sub>7</sub> Z <sub>23</sub> Z <sub>15</sub>	y <sub>6</sub> Z <sub>22</sub> Z <sub>14</sub>	y <sub>5</sub> Z <sub>21</sub> Z <sub>13</sub>	y <sub>4</sub> Z <sub>20</sub> Z <sub>12</sub>	y <sub>3</sub> Z <sub>19</sub> Z <sub>11</sub>	y <sub>2</sub> Z <sub>18</sub> Z <sub>10</sub>	y <sub>1</sub> Z <sub>17</sub> Z <sub>9</sub>	y <sub>0</sub> Z <sub>16</sub> Z <sub>8</sub>	Z axis gyro output. Ref. section 8.4.2.2 for conversion to units
9 10	9 10	9 10	9 10	9 10	9 10	9 10	9 10	9 10	Z <sub>7</sub> S <sub>7</sub>	Z <sub>6</sub> S <sub>6</sub>	Z <sub>5</sub> S <sub>5</sub>	Z <sub>4</sub> S <sub>4</sub>	Z <sub>3</sub> S <sub>3</sub>	Z <sub>2</sub> S <sub>2</sub>	Z <sub>1</sub> S <sub>1</sub>	Z <sub>0</sub> S <sub>0</sub>	STATUS byte. Ref. Table 6-13 for specification of this byte.
N/A N/A	11 12	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	x x	X X	X X	X X	X X	X X	x x	x x	For future use. For future use.
N/A N/A	13 N/A	N/A 11	N/A N/A	N/A N/A	N/A N/A	N/A 11	N/A 11	N/A 11	x Tx <sub>15</sub>	x Tx <sub>14</sub>	x Tx <sub>13</sub>	x Tx <sub>12</sub>	x Tx <sub>11</sub>	x Tx <sub>10</sub>	x Tx <sub>9</sub>	x Tx <sub>8</sub>	For future use. X axis temperature data. Ref. section
N/A	N/A	12	N/A	N/A	N/A	12	12	12	Tx <sub>7</sub>	Tx <sub>6</sub>	Tx <sub>5</sub>	Tx <sub>4</sub>	Tx <sub>3</sub>	Tx <sub>2</sub>	Tx <sub>1</sub>	Tx <sub>0</sub>	8.4.2.2.5 for conversion to units
N/A N/A	N/A N/A	13 14	N/A N/A	N/A N/A	N/A N/A	13 14	13 14	13 14	Ty₁₅ Ty <sub>7</sub>	Ty <sub>14</sub> Ty <sub>6</sub>	Ty <sub>13</sub> Ty₅	Ty <sub>12</sub> Ty <sub>4</sub>	Ty <sub>11</sub> Ty <sub>3</sub>	Ty <sub>10</sub> Ty <sub>2</sub>	Ty <sub>9</sub> Ty₁	Ty <sub>8</sub> Ty₀	Y axis temperature data. Ref. section 8.4.2.2.5 for conversion to units
N/A	N/A	15	N/A	N/A	N/A	15	15	15	Tz <sub>15</sub>	Tz <sub>14</sub>	Tz <sub>13</sub>	Tz <sub>12</sub>	TZ <sub>11</sub>	Tz <sub>10</sub>	Tz <sub>9</sub>	Tz <sub>8</sub>	Z axis temperature data. Ref. section
N/A	N/A	16	N/A	N/A	N/A	16	16	16	Tz <sub>7</sub>	Tz <sub>6</sub>	$Tz_5$	Tz <sub>4</sub>	Tz <sub>3</sub>	$Tz_2$	Tz <sub>1</sub>	Tz <sub>0</sub>	8.4.2.2.5 for conversion to units
N/A N/A	N/A N/A	N/A N/A	11 N/A	N/A 11	11 12	17 N/A	N/A 17	17 18	n <sub>7</sub> I <sub>15</sub>	n <sub>6</sub> I <sub>14</sub>	n <sub>5</sub> I <sub>13</sub>	n <sub>4</sub> I <sub>12</sub>	n <sub>3</sub> I <sub>11</sub>	n <sub>2</sub> I <sub>10</sub>	n <sub>1</sub> I <sub>9</sub>	n <sub>0</sub> I <sub>8</sub>	Counter. Ref. section 8.4.2.2.6 Latency. Ref. section 8.4.2.2.7 for
N/A		N/A	N/A	12	12	N/A	17	19	I <sub>15</sub>	I <sub>14</sub>	I <sub>13</sub>	I <sub>12</sub>	I <sub>11</sub>	I <sub>10</sub>		I8 I0	conversion to units.
11	14	17	12	13	14	18	19	20	C <sub>7</sub>	C <sub>6</sub>	C <sub>5</sub>	C <sub>4</sub>	C <sub>3</sub>	C <sub>2</sub>	C <sub>1</sub>	С <sub>0</sub>	Cyclic Redundancy Check is performed on all preceding bytes and is generated from the polynomial: $x^8 + x^2 + x + 1$ , seed = 0xFF
(12)	(15)	(18)	(13)	(14)	(15)	(19)	(20)	(21)	0	0	0	0	1	1	0	1	<cr> only when <cr><lf> datagram termination have been chosen</lf></cr></cr>
(13)	(16)	(19)	(14)	(15)	(16)	(20)	(21)	(22)	0	0	0	0	1	0	1	0	<lf> only when <cr><lf> datagram termination have been chosen</lf></cr></lf>





#### Table 6-12: Maximum sample rate

	Number of transmitted bytes <sup>Note 1</sup>	374400 bits/s <sup>Note 2</sup>	460800 bits/s <sup>Note 2</sup>	921600 bits/s <sup>Note</sup> 2	1843200 bits/s <sup>Note 2</sup>
Standard datagram	12	2000	2000	2000	2000
Extended datagram	15	1000	2000	2000	2000
Rate and temperature	18	1000	1000	2000	2000
Rate and counter	13	2000	2000	2000	2000
Rate and latency	14	1000	2000	2000	2000
Rate, counter and latency	15	1000	2000	2000	2000
Rate, temperature and counter	19	1000	1000	2000	2000
Rate, temperature and latency	20	1000	1000	2000	2000
Rate, temperature, counter and latency	21	1000	1000	2000	2000

Note 1: excluding<CR><LF> termination

Note 2: 10 bits/byte (=1 start bit, 8 data bits, no parity bit, 1 stop bit)

#### 6.4 Status byte

#### Table 6-13: Interpretation of bits in STATUS byte

Bit	STATUS bit information	Comment
7	0=OK, 1=System integrity error	
6	0=OK, 1=Start-Up	
5	0=OK, 1=Outside operating conditions	
4	0=OK, 1=Overload	Bits 0-2 will flag the overload channel(s)
3	0=OK, 1=Error in gyro channel	Bits 0-2 will flag the error channel(s)
2	0=OK, 1=Z channel	
1	0=OK, 1=Y channel	
0	0=OK, 1=X channel	

Refer to section 8.5 for more information related to the self-diagnostics of STIM210.






#### 7 MECHANICAL

#### Table 7-1: Mechanical specifications

Parameter	Conditions	Min	Nom	Max	Unit	Note
HOUSING MATERIAL		/	Aluminium,			
			2-T6, DIN ÉI	N 754-2		
SURFACE TREATMENT		,	,			
Passivation		Ro	HS-compliar	nt		
WEIGHT			52		grams	
VOLUME			32.6		ccm	
			1.99		cu in	
DUST AND HUMIDITY						
CLASSIFICATION			IP67			
CONNECTOR						
Туре			Micro-D			
Number of pins			15			
Contact type			female			
Contact manufacturer		Axo	n' Cable SA	S		
PLUG						
Proposed plug to fit connector		Ахо	n MDA 2 15	Р		
Proposed cover to fit plug	For best EMI performance	Axon mic	ro-D EMI ba	ckshell		
FIXATION BOLTS			M4			
		ISO 4	4762 / DIN 9	12		
Recommended torque	Steel base		3.5		Nm	
· ·	Aluminium base		3.0		Nm	

#### 7.1 Mechanical dimensions

#### All dimensions are in mm.










#### 7.2 Advice on mounting orientation

The gyros are sensitive to acceleration-forces in certain directions:

- X- and Y-gyros have their highest sensitivity to acceleration-forces in Z-direction
- Z-gyro has its highest sensitivity to acceleration-forces in Y-direction
- X-gyro has its lowest sensitivity to acceleration-forces in X-direction
- Y-gyro has its lowest sensitivity to acceleration-forces in Y-direction
- Z-gyro has its lowest sensitivity to acceleration-forces in Z-direction

#### 7.3 Pin configuration



#### Figure 7-3: Pin configuration as seen from front of STIM210

	in descriptio	113	
Pin#	Label	Туре	Description
1	TxD-	OUTPUT	RS422 negative output
2	RxD-	INPUT	RS422 negative input
3	TST	OUTPUT	Test pin: Do not connect
4	TOV	OUTPUT	Time of Validity (if not in use, leave floating)
5	NRST	INPUT	Reset (if not in use, connect to VSUP or leave floating)
6			Not connected
7			Not connected
8	VSUP	SUPPLY	Power supply (+5V)
9	TxD+	OUTPUT	RS422 positive output
10	RxD+	INPUT	RS422 positive input
11	ExtTrig	INPUT	External trigger (if not in use, connect to VSUP or leave floating)
12	GND	INPUT	Test pin: Connect to ground (0V)
13	GND	INPUT	Test pin: Connect to ground (0V)
14			Not connected
15	GND	SUPPLY	Power ground (0V)

#### Table 7-2: Pin descriptions

#### 7.4 Definition of axes




Figure 7-4: Definition of axes





STIM210 Multi-Axis Gyro Module




Figure 7-5: Reference points for alignment of axes



DATASHEET

ButterflyGyro

#### 8 BASIC OPERATION

STIM210 is very simple to use. Unless having been configured to external trigger, the unit will start performing measurements and transmit the results over the RS422 interface without any need for additional signalling or set-up after power-on. Figure 8-1 shows the simplest connection set-up for STIM210.




Figure 8-1: Transmit-Only Electrical Connection Diagram

In order to take full advantage of all features of STIM210, the unit needs to be connected as shown in Figure 8-2. In this set-up the system can reset the unit without having to toggle power, the external trigger function can be utilized, configuration parameters can be changed and extended information like diagnostic information can be read from the device.




Figure 8-2: Full Function Electrical Connection Diagram

#### 8.1 Reset

STIM210 has a separate reset pin (NRST) in order for the application to reset the unit without having to toggle power.

The reset is active low and has an internal pull-up. Hence the input could be left floating if not in use.

The reset signal is routed to the reset of the microcontroller and effectively forces STIM210 into Init Mode (ref. Figure 8-6 and section 8.4.1).

#### 8.2 External Trigger

STIM210 has a separate digital input pin to be used when the unit has been configured to transmit only upon external trigger. The measurements themselves will be continuously running at the highest sample rate (2000 samples/s) in



DATASHEET

### STIM210 Multi-Axis Gyro Module

order to ensure shortest possible latency when a transmission is requested. The input is set to trigger on the falling edge of the input signal and will then transmit one datagram containing the result of the latest measurement.

The input has an internal pull-up. Hence the input could be left floating if not in use.

Note that when requesting one of the special Normal Mode datagrams, ref. section 9, the datagram will be transmitted at the next external trigger input, replacing the datagram containing sensor data. If several requests for special datagrams are issued prior to an external trigger, it will be the last requested special datagram that will be transmitted.

When STIM210 is in Init Mode (after Power on or Reset), it will transmit the 3 special datagrams as described in section 8.4.1 regardless of external input.

The timing diagram is shown in Figure 8-3. Latency is the time between the moment at which the sample has been digitized + low pass-filtered and the receipt of the external trigger.




Figure 8-3: Timing of external trigger



ButterflyGyro<sup>™</sup>

### STIM210 Multi-Axis Gyro Module

### 8.3 Time of Validity (TOV)

The TOV-output serves 2 purposes:

- Provide a synchronization-signal derived from the internal clock of STIM210
- Provide means to signal when a datagram is being transmitted (NB: not when configured to external trigger)

The TOV falling edge occurs synchronous to the sample rate. The raising edge occurs after the last bit of the datagram has been transmitted.

Figure 8-4 and Figure 8-5 show the timing diagram of the TOV-output.





Figure 8-4: Timing of TOV (example: sample rate = 1000samples/s)








ButterflyGyro<sup>™</sup>

### STIM210 Multi-Axis Gyro Module

#### 8.4 Operating modes

The operating modes of STIM210 are shown in Figure 8-6:



#### Figure 8-6: Operating modes

#### 8.4.1 Init Mode

Init Mode is entered after the following conditions:

- power on
- after an external reset
- when receiving a reset-command in Normal Mode
- when exiting to Init Mode from Service Mode.

In Init Mode the system waits for internal references to settle, resets and synchronizes the sensor channels and transmits three special datagrams containing part number, serial number and configuration data. Please note that length and format of the special datagrams are different to the datagrams in Normal Mode.

Table 6-6 specifies the sequence and contents of the Part Number datagram.

Table 6-7 specifies the sequence and contents of the Serial Number datagram.

Table 6-8 specifies the sequence and contents of the Configuration datagram.

After having transmitted the special Part Number, Serial Number and Configuration datagrams, STIM210 enters Normal Mode. All these special datagrams can also be requested by commands in Normal Mode, ref. section 9.

#### 8.4.2 Normal Mode

In Normal Mode STIM210 will constantly measure the gyro channels at an internal sample rate of 2000 samples/s and transmit at the chosen sample rate, alternatively when receiving an external trigger. STIM210 will transmit data regardless of any errors reported in the STATUS byte (ref. Table 6-13). Hence the content of the STATUS byte should continuously be examined.

Table 6-11 specifies the sequence and contents of the datagrams transmitted in Normal Mode.

#### 8.4.2.1 Start-Up

When STIM210 enters Normal Mode from Init Mode, there will be a start-up period where STIM210 is stabilizing the gyros. This is a fixed period as specified in Table 6-2 and bit 6 is set in the STATUS byte (ref. Table 6-13) to communicate this condition. During the start-up period STIM210 will continuously sample, compensate and output data. However the data should not be regarded valid until bit 6 in STATUS byte is cleared.

There will not be any start-up period when STIM210 is exiting from Service Mode directly to Normal Mode.



### STIM210 Multi-Axis Gyro Module

#### 8.4.2.2 Data output options and interpretation

The gyros in STIM210 measure angular rate [°/s]. However, in order to make the STIM210 more versatile, a few simple functions are offered, ref. Table 8-1:

#### Table 8-1: Implemented functions for gyro output units

Function	Description of function	Equation	Output unit
Incremental	Adds all internal samples between two transmissions multiplied by the time between internal samples	$Incremental = \sum_{i=1}^{n} AngularRate_{i} \cdot \frac{1}{2000}s$	[°]
		n = 2000 / sample rate	
Average	Calculates the average of the internal samples between two transmissions	$Average = \frac{1}{n} \cdot \sum_{i=1}^{n} AngularRate_{i}$	[°/s]
		n = 2000 / sample rate	
Integrated	Adds all internal samples multiplied by the time between internal samples since start-up / last reset. Note that the result takes values in the interval [-4°, 4°> and will naturally wrap-around with no error- message indication in the Status- byte	$Integrated = \sum_{i=1}^{n} AngularRate_{i} \cdot \frac{1}{2000}s$ n = internal samples (at a rate of 2000 samples/s) since start-up or last reset)	[°]

#### 8.4.2.2.1 Angular Rate

Angular Rate is available in all datagrams when STIM210 has been configured to output angular rate. The transmitted data will be the last internal sample. E.g. in the case of continuous transmission of datagrams and a sample rate of 250 samples/s, every 8<sup>th</sup> internally sample will be transmitted.

Equation 1 and Figure 8-7 show how to convert to [°/s]. Note that the output data is represented as two's complement.

#### Equation 1: Converting output to [°/s]:

 $Output[^{\circ}/s] = \frac{(AR_1) \cdot 2^{16} + (AR_2) \cdot 2^8 + (AR_3) - (AR_{b23}) \cdot 2^{24}}{(AR_2)^{16} + (AR_2)^{16} + (AR_2)^{16} + (AR_3)^{16} + (A$ 

where  $AR_1$  is the most significant byte of the 24bit output  $AR_2$  is the middle byte of the 24bit output  $AR_3$  is the least significant byte of the 24bit output  $AR_{b23}$  is the most significant bit of  $AR_1$ 

-	AR₁►						AR2							← AR <sub>3</sub> →									
Bit 23	Bit 22	Bit 21	Bit 20	Bit 19	Bit 18	Bit 17	Bit 16	Bit 15	Bit 14	Bit 13	Bit 12	Bit 11	Bit 10	Bit 9	Bit 8	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
2 <sup>9</sup>	2 <sup>8</sup>	27	2 <sup>6</sup>	2 <sup>5</sup>	2 <sup>4</sup>	2 <sup>3</sup>	2 <sup>2</sup>	2 <sup>1</sup>	2 <sup>0</sup>	2 <sup>-1</sup>	2 <sup>-2</sup>	2 <sup>-3</sup>	2 <sup>-4</sup>	2 <sup>-5</sup>	2 <sup>-6</sup>	2 <sup>-7</sup>	2 <sup>-8</sup>	2 <sup>-9</sup>	2 <sup>-10</sup>	2 <sup>-11</sup>	2 <sup>-12</sup>	2 <sup>-13</sup>	2 <sup>-14</sup>

Figure 8-7: Converting output bytes to [°/s]





#### 8.4.2.2.2 Incremental angle

Incremental angle is available in all datagrams when STIM210 has been configured to output incremental angle. The transmitted data will be the integrated angle since last transmitted sample. E.g. in the case of continuous transmission of datagrams and a sample rate of 250 samples/s, each transmission will contain the integrated angle of eight internal samples.

Equation 2 and Figure 8-8 show how to convert to [°/sample]. Note that the output data is represented as two's complement:

#### Equation 2: Converting output to [°/sample]

 $Output[^{\circ} / sample] = \frac{(IA_1) \cdot 2^{16} + (IA_2) \cdot 2^8 + (IA_3) - (IA_{b23}) \cdot 2^{24}}{2^{21}}$ 

where IA<sub>1</sub> is the most significant byte of the 24bit output IA<sub>2</sub> is the middle byte of the 24bit output IA<sub>3</sub> is the least significant byte of the 24bit output IA<sub>b23</sub> is the most significant bit of IA<sub>1</sub>

-	IA₁►					• • • IA <sub>2</sub> · • •							•			- IA <sub>3</sub>							
Bit 23	Bit 22	Bit 21	Bit 20	Bit 19	Bit 18	Bit 17	Bit 16	Bit 15	Bit 14	Bit 13	Bit 12	Bit 11	Bit 10	Bit 9	Bit 8	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
2 <sup>2</sup>	2 <sup>1</sup>	2 <sup>0</sup>	2-1	2-2	2 <sup>-3</sup>	2-4	2 <sup>-5</sup>	2 <sup>-6</sup>	2 <sup>-7</sup>	2 <sup>-8</sup>	2 <sup>-9</sup>	2 <sup>-10</sup>	2 <sup>-11</sup>	2 <sup>-12</sup>	2 <sup>-13</sup>	2 <sup>-14</sup>	2 <sup>-15</sup>	2 <sup>-16</sup>	2 <sup>-17</sup>	2 <sup>-18</sup>	2 <sup>-19</sup>	2 <sup>-20</sup>	2 <sup>-21</sup>

Figure 8-8: Converting output bytes to [°/samples]

#### 8.4.2.2.3 Average angular rate

Average angular rate is available in all datagrams when STIM210 has been configured to output average angular rate. The transmitted data will be the average of the samples since last transmission. E.g. in the case of continuous transmission of datagrams and a sample rate of 250 samples/s, each transmission will contain the average of the eight internal samples.

Note that the configured low-pass filtering is performed prior to calculating the average.

Conversion to [°/s] is the same as for angular rate and is described in Equation 1.

#### 8.4.2.2.4 Integrated angle

Integrated angle is available in all datagrams when STIM210 has been configured to output integrated angle. The transmitted data will be continuously integrated angle since power-on or reset. The integrated angle takes values in the interval [-4°,4°> and will naturally wrap around with no error message indication in the Status byte.

Conversion to [°] is the same as for incremental angle and is described in Equation 2.



DATASHEET

### STIM210 Multi-Axis Gyro Module

#### 8.4.2.2.5 Temperature

Temperature data for each axis is available in certain datagrams (ref. section 12).

Equation 3 and Figure 8-9 show how to convert to [°C]. Note that the output data is represented as two's complement:

#### Equation 3: Converting temperature data to [°C]

 $Output [°C] = \frac{(T_1) \cdot 2^8 + (T_2) - (T_{b15}) \cdot 2^{16}}{2^8}$ 

where  $T_1$  is the most significant byte of the 16bit output  $T_2$  is the least significant byte of the 16bit output  $T_{b15}$  is the most significant byte of  $T_1$ 

											- T <sub>2</sub>				
Bit 15	Bit 14	Bit 13	Bit 12	Bit 11	Bit 10	Bit 9	Bit 8	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
27	26	2 <sup>5</sup>	2 <sup>4</sup>	2 <sup>3</sup>	2 <sup>2</sup>	2 <sup>1</sup>	2 <sup>0</sup>	2-1	2-2	2 <sup>-3</sup>	2 <sup>-4</sup>	2 <sup>-5</sup>	2 <sup>-6</sup>	2 <sup>-7</sup>	2 <sup>-8</sup>

Figure 8-9: Converting temperature data to [°C]

#### 8.4.2.2.6 Counter

A counter is available in certain datagrams (ref. section 12). Counter is continuously counting the internal samples (2000 samples/s). Counter is an un-signed single byte taking values in the interval [0, 255]. The counter will naturally wrap-around with no error-message indication in the Status-byte.

#### 8.4.2.2.7 Latency

Latency is available in certain datagrams (ref. section 12) with external trigger. Latency is an unsigned word taking values in the interval [0, 65535]  $\mu$ s.

Equation 4 and Figure 8-10 show how to convert to [seconds]:

#### Equation 4: Converting latency data to [seconds]

Output [seconds] =  $((t_1) \cdot 2^8 + (t_2)) \cdot 10^{-6}$ 

where  $t_1$  is the most significant byte of the 16bit output  $t_2$  is the least significant byte of the 16bit output

-	•			– t <sub>1</sub>					•			- t <sub>2</sub>				
	Bit 15	Bit 14	Bit 13	Bit 12	Bit 11	Bit 10	Bit 9	Bit 8	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
	2 <sup>15</sup> ·10 <sup>-6</sup>	2 <sup>14</sup> ·10 <sup>-6</sup>	2 <sup>13</sup> •10 <sup>-6</sup>	2 <sup>12</sup> ⋅10 <sup>-6</sup>	2 <sup>11</sup> ·10 <sup>-6</sup>	2 <sup>10</sup> ·10 <sup>-6</sup>	2 <sup>9</sup> ·10 <sup>-6</sup>	2 <sup>8</sup> ·10 <sup>-6</sup>	2 <sup>7</sup> ·10 <sup>-6</sup>	2 <sup>6</sup> ·10 <sup>-6</sup>	2 <sup>5</sup> ·10 <sup>-6</sup>	2 <sup>4</sup> ·10 <sup>-6</sup>	2 <sup>3</sup> ·10 <sup>-6</sup>	2 <sup>2</sup> ·10 <sup>-6</sup>	2 <sup>1</sup> ·10 <sup>-6</sup>	2 <sup>0</sup> ·10 <sup>-6</sup>

Figure 8-10: Converting latency data to [seconds]



### STIM210 Multi-Axis Gyro Module

#### 8.4.3 Service Mode

The communication interface has been designed to be human-readable in Service Mode. This can for example be of great help in the development phase when the device needs to be re-configured during investigations into an observed problem, for example in combination with terminal based software.

When Service Mode is entered, STIM210 will respond with its configuration information (same as the response to the <u>i</u> (INFORMATION) command, ref: Figure 10-1).

A set of commands are available, ref. section 10, enabling the user to change intermediately or permanently the configuration parameters, display latest measurement results, display higher details on error information and perform a full diagnostic of the unit.

In Service Mode the gyro measurements will still be running in the background, enabling to switch directly back to Normal Mode without the need for any stabilization time of filters, etc. However the measurement data itself, when STIM210 is in Service Mode are not transmitted and therefore lost. By using the <u>a</u> (SINGLE-SHOT MEASUREMENT) command (ref. section 10.2) it is possible to display single measurement results.

Exiting Service Mode can be done in several ways:

- 1. Using the external reset. This will force STIM210 into Init Mode. Be advised that during Init Mode, all the configuration parameters are loaded from flash. If any of the configuration parameters have been changed during the Service Mode session but not saved to flash, these changes will be overwritten by the content already stored in flash.
- 2. Using the <u>x</u> (EXIT) command. When using this command a parameter is required to decide whether the device should go to Init Mode or to Normal Mode. When exiting to Normal Mode, any of the changes made to the configuration parameters will still be valid. However, if not saved, the configuration parameters will be overwritten by the content already stored in flash at the next power-up or reset.

#### 8.5 Self diagnostics

STIM210 is constantly checking its internal status. The checks include:

- Check of internal references
- Check of gyros (error and overload)
- Check of internal temperatures
- Check of RAM and flash
- Check of supply voltage

A full diagnostic can be run to see the result of the individual checks by using the <u>c</u> (DIAGNOSTIC) command, ref. section 10.3 in SERVICEMODE.

When an error situation is detected, the corresponding bit in the STATUS byte (ref. Table 6-13) will be set. If the sample-rate is set lower than 2000 samples/s, the STATUS byte will reflect the accumulated status of all the sub-samples between two data transmissions. The bits in the STATUS bytes are valid for the data in a single transmission and hence not latched.

Access to extended error registers containing accumulated error-information can be achieved either by using the Normal Mode-command "E" (EXTENDED ERROR INFORMATION DATAGRAM, ref. Table 6-9 and Table 6-10) or the SERVICEMODE-command <u>ie</u> (INFORMATION on ACCUMULATED LAST ERRORS, ref. section 10.1).

The extended error registers are cleared at the following events:

- After the start-up phase, triggered by power-on or reset
- After transmission of Extended Error Information Datagram (ref. section 9.4)
- After use of SERVICEMODE-command "i e" (INFORMATION on ACCUMULATED LAST ERRORS, ref. section 10.1)





### STIM210 Multi-Axis Gyro Module

#### 9 COMMANDS IN NORMAL MODE

Several commands are available in Normal Mode, as listed in Table 9-1. Note that all commands in Normal Mode must be transmitted in upper case letters.

#### Table 9-1 Available commands in Normal Mode

Command	Short description	
Ν	Transmits one Part Number datagram	
I	ransmits one Serial Number datagram	
С	Transmits one Configuration datagram	
E	Transmits one Extended Error Information datagram	
R	Resets the unit	
SERVICEMODE	SERVICEMODE Enters Service Mode	

#### Table 9-2 List of special ASCII characters used in Normal Mode

Char	Hex	Dec	Short description
<cr></cr>	0x0D	13	"Carriage Return": used as execution character for commands

No echo of received command characters nor error messages will appear for these commands. Only at the receipt of the complete correct command, STIM210 executes accordingly.

NB: if OUTPUT UNIT is set to INCREMENTAL ANGLE (ref. section 10.7), the transmitted incremented angle in the datagram following any of the requested special datagrams will NOT contain the incremental angle since the last transmitted measurement. Hence the incremented angle occurring during the transmission of a special requested datagram will be lost.

#### 9.1 N (PART NUMBER DATAGRAM) command

General description: Requests transmission of a Part Number datagram (ref. Table 6-6).

#### Table 9-3 : Available I (PART NUMBER DATAGRAM) command

Syntax	Response
N <cr></cr>	Transmits one Part Number datagram

The Part Number datagram will replace the next transmitted Normal Mode datagram.

If sample rate is set to external trigger, the Part Number datagram will be transmitted at the next external trigger input, replacing the datagram containing sensor data.

#### 9.2 I (SERIAL NUMBER DATAGRAM) command

General description: Requests transmission of a Serial number datagram (ref. Table 6-7).

#### Table 9-4 : Available I (SERIAL NUMBER DATAGRAM) command

Syntax	Response
I <cr></cr>	Transmits one Serial Number datagram

The Serial Number datagram will replace the next transmitted Normal Mode datagram.

If sample rate is set to external trigger, the Serial Number datagram will be transmitted at the next external trigger input, replacing the datagram containing sensor data.





### STIM210 Multi-Axis Gyro Module

#### 9.3 C (CONFIGURATION DATAGRAM) command

General description: Requests transmission of a configuration datagram (ref. Table 6-8).

#### Table 9-5: Available C (CONFIGURATION DATAGRAM) command

Syntax	Response
C <cr></cr>	Transmits one Configuration datagram

The Configuration datagram will replace the next transmitted Normal Mode datagram.

If sample rate is set to external trigger, the Configuration datagram will be transmitted at the next external trigger input, replacing the datagram containing sensor data.

#### 9.4 E (EXTENDED ERROR INFORMATION DATAGRAM) command

General description: Requests transmission of an Extended Error Information datagram (ref. Table 6-9). This datagram contains the accumulated detected errors (ref. section 8.5).

Once the Extended Error Information datagram has been transmitted, the error-registers are cleared.

#### Table 9-6: Available E (EXTENDED ERROR INFORMATION) command

Syn	ntax	Response
E<0	CR>	Resets the unit

The Extended Error Information datagram will replace the next transmitted Normal Mode datagram.

If sample rate is set to external trigger, the Extended Error Information datagram will be transmitted at the next external trigger input, replacing the datagram containing sensor data.

#### 9.5 R (RESET) command

General description: Force a Reset (ref. Figure 8-6).

#### Table 9-7: Available R (RESET) command

Syntax	Response
R <cr></cr>	Resets the unit





### STIM210 Multi-Axis Gyro Module

#### 9.6 SERVICEMODE command

General description : Enters Service Mode (ref. section 8.4.3).

#### Table 9-8: Available SERVICEMODE command

Syntax	Response
SERVICEMODE <cr></cr>	Enters Service Mode

If the command is received during the transmission of a datagram, it will complete the transmission before entering Service Mode.

When entering Service Mode, the configuration and identification data of the device will be listed, as shown in Figure 9-1:

SERIAL NUMBER = N25581820002002 PRODUCT = STIM210XZ PART NUMBER = 84192-1034-0121 REV H HW CONFIG = M5673 REV 7 FW CONFIG = SWD11860 REV 9 OUTPUT UNIT = [°/sample] - INCREMENTAL ANGLE SAMPLE RATE [samples/s] = 1000 GYRO CONFIG = XZ GYRO RANGE: X-AXIS: ± 400°/s Y-AXIS: NA Z-AXIS: ± 400°/s LP FILTER -3dB FREQUENCY, X-AXIS [Hz] = 262 LP FILTER -3dB FREQUENCY, Y-AXIS [Hz] = NA LP FILTER -3dB FREQUENCY, Z-AXIS [Hz] = 262 DATAGRAM FORMAT = STANDARD BIT-RATE [bits/s] = 374400 DATA LENGTH = 8 STOP-BITS = 1 PARITY = EVEN LINE TERMINATION = ON DATAGRAM TERMINATION = NONE

Figure 9-1: Example of response from SERVICEMODE command

>





#### 10 COMMANDS IN SERVICE MODE

Several commands are available in Service Mode, as listed in Table 10-1. Note that all commands in Service Mode must be transmitted in lower case letters.

#### Table 10-1 Available commands in Service Mode

Command	Short description		
i	Lists specific information (e.g. serial number, configuration, error information)		
а	Performs a single-shot measurement		
С	Performs a diagnostic of the unit		
d	Changes datagram format		
t	Changes transmission parameters (e.g. bit-rate, data length, stop-bits)		
r	Changes line termination and datagram termination		
u	Changes measurement output unit		
f	Changes LP filter -3dB frequency		
m	Changes sample rate		
S	Saves configuration data		
х	Exits Service Mode and returns to Normal Mode or Init Mode		
Z	Restore to factory settings		
?	Help function on the available commands in Service Mode		

#### Table 10-2 List of special ASCII characters used in Service Mode

Char	Hex	Dec	Short description
<bs></bs>	0x08	8	"Back Space": deletes last received character (received since last <cr>)</cr>
<cr></cr>	0x0D	13	"Carriage Return": typically used as execution character for commands
<sp></sp>	0x20	32	"Space": used to separate command and first parameter
۲, ۱ ۲	0x2C	44	"Comma": used to separate parameters in a command
'>'	0x3E	62	Used together with <cr> as: "Ready to receive new command" prompt</cr>

When STIM210 is in Service Mode and ready to receive a new command, it will issue the special ASCII character <CR> followed by '>'. As some commands (e.g. SINGLE-SHOT MEASUREMENT command) may respond with a varying number of lines, automated set-ups should look for the special prompt sequence (<CR>+'>') before issuing a new command.

Received characters will be echoed. A command is decoded and executed when receiving the special ASCII character <CR>. <BS> is also recognized and will delete the last received character in the input buffer. The size of the input buffer is 80 characters. <BS> is valid for the characters received since last <CR>.

The command character and first parameter (when applicable) are separated by a space (character 0x20). When there are more than one parameter to a command (e.g. TRANSMISSION PARAMETER command), these must be separated by a comma (character 0x2C).

In the event of an unknown command, inconsistent syntax or incorrect value of parameter(s), STIM210 will respond with an error message. Error messages are on the format:

E<nnn><SP><Error description><CR> where nnn is an error number



### STIM210 Multi-Axis Gyro Module

#### 10.1 i (INFORMATION) command

General description: Lists various requested information about the device

#### Table 10-3 : Available i (INFORMATION) commands

Syntax Response		
i <cr></cr>	Lists the product configuration and identification data	
i <sp><cmd><cr></cr></cmd></sp>	- <cr> Gives information about the specific parameter</cr>	

#### Table 10-4 : Allowed values for <cmd> parameter for i (INFORMATION) commands

<cmd></cmd>	Result	
S	Returns the serial number of the device	
n Returns the product name of the device		
Х	Returns the part number of the device	
а	Returns the axis configuration of the device	
h	Returns the HW configuration and revision of the device	
р	Returns the FW configuration and revision of the device	
m	Returns the sample rate of the device	
f Returns the LP filter -3dB frequency for each axis		
d	Returns the datagram format	
t	Returns the transmission parameters of the device	
r	Returns the line termination and datagram termination	
u	Returns the output unit of the device	
е	Prints the extended error information from the accumulated detected error(s) since last error	
read-out in Service Mode or by the E-command in Normal Mode (ref. section 9.4)		

#### Table 10-5: Error messages for i (INFORMATION) commands

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command or parameter is not recognised
E002	INCORRECT NUMBER OF	Too many or too few parameters, use of comma between
	PARAMETERS	command and first parameter

>i SERIAL NUMBER = N25581820002002 PRODUCT = STIM210XZ PART NUMBER = 84192-1034-0121 REV H HW CONFIG = M5673 REV 7 FW CONFIG = SWD11860 REV 9 OUTPUT UNIT = [°/sample] - INCREMENTAL ANGLE SAMPLE RATE [samples/s] = 1000 GYRO CONFIG = XZ GYRO RANGE: X-AXIS: ± 400°/s Y-AXIS: NA Z-AXIS: ± 400°/s LP FILTER -3dB FREQUENCY, X-AXIS [Hz] = 262 LP FILTER -3dB FREQUENCY, Y-AXIS [Hz] = NA LP FILTER -3dB FREQUENCY, Z-AXIS [Hz] = 262 DATAGRAM TERMINATION = NONE BIT-RATE [bits/s] = 374400 DATA LENGTH = 8 STOP-BITS = 1 PARITY = EVEN LINE TERMINATION = ON DATAGRAM FORMAT = STANDARD

#### Figure 10-1: Example of response from i (INFORMATION) command



>i s

>

>

>i x

>

## DATASHEET



STIM210 Multi-Axis Gyro Module

SERIAL NUMBER = N25581820002002

#### Figure 10-2: Example of response from i s (INFORMATION on SERIAL NUMBER) command

>i n PRODUCT = STIM210XZ

Figure 10-3: Example of response from in (INFORMATION on PRODUCT NAME) command

PART NUMBER = 84192-1034-0121 REV H

Figure 10-4: Example of response from i x (INFORMATION on PART NUMBER) command

>i a GYRO CONFIG = XZ GYRO RANGE: X-AXIS: ± 400°/s Y-AXIS: NA Z-AXIS: ± 400°/s

Figure 10-5: Example of response from i a (INFORMATION on AXIS CONFIGURATION) command

>i h HW CONFIG = M5673 REV 7 >

Figure 10-6: Example of response from i h (INFORMATION on HW CONFIGURATION) command

```
>i p
FW CONFIG = SWD11860 REV 9
```

Figure 10-7: Example of response from i p (INFORMATION on FW CONFIGURATION) command

```
>i m
SAMPLE RATE [samples/s] = 1000
```

Figure 10-8: Example of response from i m (INFORMATION on SAMPLE RATE) command

```
>i f
LP FILTER -3dB FREQUENCY, X-AXIS [Hz] = 262
LP FILTER -3dB FREQUENCY, Y-AXIS [Hz] = NA
LP FILTER -3dB FREQUENCY, Z-AXIS [Hz] = 262
```

Figure 10-9: Example of response from i f (INFORMATION on LP FILTER -3dB FREQUENCY) command





STIM210 Multi-Axis Gyro Module

DATAGRAM FORMAT = STANDARD

#### Figure 10-10: Example of response from i d (INFORMATION on DATAGRAM CONTENT) command

>i t BIT-RATE [bits/s] = 374400 DATA LENGTH = 8 STOP-BITS = 1 PARITY = EVEN

>

>i d

>

Figure 10-11: Example of response from it (INFORMATION on TRANSMISSION PARAMETERS) command

>i r LINE TERMINATION = ON DATAGRAM TERMINATION = NONE >

Figure 10-12: Example of response from i r (INFORMATION) command

>i u OUTPUT UNIT = [°/sample] - INCREMENTAL ANGLE

#### Figure 10-13: Example of response from i u (INFORMATION on OUTPUT UNIT) command

>i e GYRO X-AXIS I-CH OVERFLOW = FAILED >

Figure 10-14: Example of response from i e (INFORMATION on LAST ERROR IN NORMAL MODE) command



### STIM210 Multi-Axis Gyro Module

#### 10.2 a (SINGLE-SHOT MEASUREMENT) command

General description: Displays the result of latest measurement (measurement process running constantly in the background).

If sample rate has been set to external trigger, the SINGLE-SHOT MEASUREMENT will respond to the measurement result at the latest trigger. Hence if no trigger is received, the command will respond with the same data if sent multiple times.

#### Table 10-6: Available a (SINGLE-SHOT MEASUREMENT) command

Syntax	Response
a <cr></cr>	Displays the result of the latest measurement sample

#### Table 10-7: Error messages for a (SINGLE-SHOT MEASUREMENT) command

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF PARAMETERS	Any characters between command and <cr></cr>

>a X-AXIS = 1.43255°/s Y-AXIS = NA Z-AXIS = 243.33667°/s STATUS = 0000000 = OK

>

#### Figure 10-15: Example of response from a (SINGLE-SHOT MEASUREMENT) command

>a X-AXIS = 0.000716275° Y-AXIS = NA Z-AXIS = 0.121668335° STATUS = 00100101 = NOT OK BIT 5: OUTSIDE OPERATING CONDITIONS BIT 2: ERROR IN Z-CHANNEL BIT 0: ERROR IN X-CHANNEL

Figure 10-16: Example of response from a (SINGLE-SHOT MEASUREMENT) command with error flagging







**10.3 c (DIAGNOSTIC) command** General description: Performs a diagnostic of the unit.

#### Table 10-8: Available c (DIAGNOSTIC) command

Syntax	Response
c <cr></cr>	Performs a diagnostic check

#### Table 10-9: Error messages for c (DIAGNOSTIC) command

Erro	r Message	Possible reason
E00	UNKOWN COMMAND	Command is incorrectly entered
E00	2 INCORRECT NUMBER OF PARAMETERS	Any characters between command and <cr></cr>



>C

DATASHEET

ButterflyGyro<sup>™</sup>

### STIM210 Multi-Axis Gyro Module

SERIAL NUMBER = N25581025644346 PRODUCT = STIM210XZ PART NUMBER = 84192-1034-0121 REV H HW CONFIG = M5673 REV 7 FW CONFIG = SWD11860 REV 9 SYSTEM STATUS: RAM CHECK = OK FLASH CHECK = OK STACK STATUS MONITOR = OK STACK COMMAND HANDLER = OK STACK SAMPLE = OK STACK FLASH = OK MICRO CONTROLLER TEMPERATURE = OK VOLTAGE SUPPLIES: REFERENCE VOLTAGE 5.0V = OK REFERENCE VOLTAGE 2.5V = OK REFERENCE VOLTAGE 2.048V = OK REGULATED VOLTAGE 5.0V = OK REGULATED VOLTAGE 1.8V = OK INPUT VOLTAGE 5.0V = OK VOLTAGE BOOST = OK GYRO X-AXIS: GYRO X-AXIS Data Ready = OK GYRO X-AXIS EXC.FREQ = OK GYRO X-AXIS ASIC TEMP = OK GYRO X-AXIS SENSOR TEMP = OK GYRO X-AXIS COMPENSATED RATE SIGNAL = OK GYRO X-AXIS DASIC COMMUNICATION = OK GYRO X-AXIS Q-CH RANGE = OK GYRO X-AXIS I-CH RANGE = OK GYRO X-AXIS DET. DC = OK GYRO X-AXIS EXC. DC = OK GYRO X-AXIS SPI = OK GYRO X-AXIS EXC.AMPL = OK GYRO X-AXIS OVERRUN = OK GYRO X-AXIS DAC = OKGYRO 7-AXIS: GYRO Z-AXIS Data Ready = OK GYRO Z-AXIS EXC.FREQ = OK GYRO Z-AXIS ASIC TEMP = OK GYRO Z-AXIS SENSOR TEMP = OK GYRO Z-AXIS COMPENSATED RATE SIGNAL = OK GYRO Z-AXIS DASIC COMMUNICATION = OK GYRO Z-AXIS Q-CH RANGE = OK GYRO Z-AXIS I-CH RANGE = OK GYRO Z-AXIS DET. DC = OK GYRO Z-AXIS EXC. DC = OK GYRO Z-AXIS SPI = OK GYRO Z-AXIS EXC.AMPL = OK GYRO Z-AXIS OVERRUN = OK GYRO Z-AXIS DAC = OK

#### Figure 10-17: Example of response from c (DIAGNOSTIC) command



## STIM210 Multi-Axis Gyro Module

## 10.4 d (DATAGRAM FORMAT) command

General description: Changes the datagram format in Normal Mode (ref. Table 6-11).

Note that the datagram format could be considered invalid, even if it has been entered correctly. This is because a valid datagram format also depends on the chosen sample rate and bit rate (ref. Table 6-12 and error message E007 in Table 10-12).

Note that this change will only be effective until STIM210 is initialized, reset or powered off, unless the new setting has been stored in flash using the SAVE-command (ref. section 10.10). In order to use or test a new setting in Normal Mode without permanently storing it, this can be achieved by using the EXIT n-command (ref. section 10.11).

### Table 10-10 : Available d (DATAGRAM FORMAT) command

Syntax	Response
d <sp><d_format><cr></cr></d_format></sp>	Changes the datagram format in Normal Mode

### Table 10-11 : Allowed values for d (DATAGRAM FORMAT) command

<d_format></d_format>	Result	
S	Changes the datagram format in Normal Mode to standard format	
е	Changes the datagram format in Normal Mode to extended format	
j	Changes the datagram format in Normal Mode to rate and temperature	
k	Changes the datagram format in Normal Mode to rate and counter	
I	Changes the datagram format in Normal Mode to rate and latency	
m	Changes the datagram format in Normal Mode to rate, counter and latency	
n	Changes the datagram format in Normal Mode to rate, temperature and counter	
0	Changes the datagram format in Normal Mode to rate, temperature and latency	
р	Changes the datagram format in Normal Mode to rate, temperature, counter and	
	latency	

### Table 10-12: Error messages for d (DATAGRAM FORMAT) command

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF	Too many or too few parameters, use of comma between
	PARAMETERS	command and first parameter
E003	INVALID PARAMETER	Value of parameter outside valid range
E007	DATAGRAM WILL BE TOO LONG	Combination of bit-rate, sample rate and datagram content results
	TO TRANSMIT	in a datagram that cannot be transmitted

>d s DATAGRAM FORMAT = STANDARD

## Figure 10-18: Example of response from d s (DATAGRAM FORMAT) command

>d e DATAGRAM FORMAT = EXTENDED

## Figure 10-19: Example of response from d e (DATATGRAM FORMAT) command

DATAGRAM FORMAT = RATE, COUNTER AND LATENCY

>d m

## Figure 10-20: Example of response from d m (DATATGRAM FORMAT) command



## STIM210 Multi-Axis Gyro Module

## 10.5 t (TRANSMISSION PARAMETERS) command

General description: Changes the transmission parameters for the RS422 interface.

Note that the bit-rate could be considered invalid, even if it has been entered correctly. This is because a valid bit-rate also depends on the sample rate and chosen datagram content (ref. Table 6-12 and error message E007 in Table 10-16).

Note that this change will only be effective until STIM210 is initialized, reset or powered off, unless the new setting has been stored in flash using the SAVE-command (ref. section 10.10). If confirmation to the SAVE-command is not "Y", the transmission parameters will be reset to the previously stored settings. In order to use or test a new setting in Normal Mode without permanently storing it, this can be achieved by using the EXIT n-command (ref. section 10.11).

### Table 10-13 : Available t (TRANSMISSION PARAMETERS) commands

Syntax	Response
t <sp><bit-rate><cr></cr></bit-rate></sp>	Changes the transmission bit-rate and leaves number
	of stop-bits and parity unchanged
t <sp><bit-rate>','<stop-bits>','<parity><cr></cr></parity></stop-bits></bit-rate></sp>	Changes the transmission bit-rate, number of stop-bits
	and parity

### Table 10-14: Allowed values for <stop-bits> parameter for t (TRANSMISSION PARAMETERS) commands

<stop-bits></stop-bits>	Result
1	Will set number of stop-bits to 1
2	Will set number of stop-bits to 2

### Table 10-15: Allowed values for <parity> parameter for t (TRANSMISSION PARAMETERS) commands

<stop-bits></stop-bits>	Result
n	Will set no parity
e	Will set even parity
0	Will set odd parity

The STIM210 hardware is capable of setting bit-rates in the range between 1500 and 3 750 000 bits/s. However, the sample rate and the datagram length decide the minimum bit-rate possible, ref. Equation 5:

## Equation 5: Minimum bit-rate

 $Bit-rate_{MIN} = 1.1 \cdot bits \cdot bytes \cdot sample_rate$ 

where bits = start-bit (1) + data-bits (8) + stop-bits (1 or 2) + parity-bit (0 or 1) bytes = number of bytes in the chosen datagram including <CR><LF>, ref. Table 6-11 and Table 6-12 (NB: number of bytes in Table 6-12 excludes <CR><LF>) sample\_rate is the chosen sample rate [samples/s]

If a bit-rate, lower than the allowed bit-rate defined by Equation 5, is entered, the command will respond with error message E007, ref. Table 10-16.

There are a finite number of bit-rates possible to set. This is defined in Equation 6:

### Equation 6: Set bit-rate

$$Bit - rate_{SET} = \frac{59904000}{n} bits / s$$

### where n is an integer

The actually set bit-rate will hence be the closest to requested bit-rate. The response of the t (TRANSMISSION PARAMETERS)-command will be the set bit-rate. Be aware that for certain bit-rates above 1.2Mbit/s, the deviation between the requested bit-rate and set bit-rate could be larger than 1% and may be in conflict with the RS422 specification. No warnings are issued related to this issue. As a safety precaution, the new bit-rate can only be permanently set by the s (SAVE)-command later using the new bit-rate.





### Table 10-16: Error messages for t (TRANSMISSION PARAMETERS) commands

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF	Too many or too few parameters, use of comma between
	PARAMETERS	command and first parameter
E003	INVALID PARAMETER	Value of parameter outside valid range
E007	DATAGRAM WILL BE TOO LONG	Combination of bit-rate, sample rate and datagram content results
	TO TRANSMIT	in a datagram that cannot be transmitted

>t 460800,2,e

TRANSMISSION PROTOCOL = 460800 bits/s, 2 STOP-BIT(S), EVEN PARITY

## Figure 10-21: Example of response from t (TRANSMISSION PARAMETERS) command

>t 500000 TRANSMISSION PROTOCOL = 499200 bits/s, 2 STOP-BIT(S), EVEN PARITY

## Figure 10-22: Example of response from t (TRANSMISSION PARAMETERS) command

Transmission parameters will change after the response as shown in Figure 10-21 or Figure 10-22 has been given.



## STIM210 Multi-Axis Gyro Module

## 10.6 r (TERMINATION) command

General description: Changes the line termination and datagram termination. Line termination should be ON when communicating point-to-point (single master – single slave).

Note that this change will only be effective until STIM210 is initialized, reset or powered off, unless the new setting has been stored in flash using the SAVE-command (ref. section 10.10). In order to use or test a new setting in Normal Mode without permanently storing it, this can be achieved by using the EXIT n-command (ref. section 10.11).

### Table 10-17: Available r (TERMINATION) command

Syntax	Response	
r <sp><term><cr></cr></term></sp>	Changes the line termination and datagram termination	

### Table 10-18: Allowed values for r (TERMINATION) command

<term></term>	Result
0	Turns line termination = OFF, datagram termination = none
1	Turns line termination = ON, datagram termination = none
2	Turns line termination = OFF, datagram termination = <cr><lf></lf></cr>
3	Turns line termination = ON, datagram termination = <cr><lf></lf></cr>

#### Table 10-19: Error messages for r (TERMINATION) command

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF	Too many or too few parameters, use of comma between
	PARAMETERS	command and first parameter
E003	INVALID PARAMETER	Value of parameter outside valid range

>r 0 LINE TERMINATION = OFF DATAGRAM TERMINATION = NONE

>

>

## Figure 10-23: Example of response from r 0 (TERMINATION) command

>r 3 LINE TERMINATION = ON DATAGRAM TERMINATION = <CR><LF>

Figure 10-24: Example of response from r 3 (TERMINATION) command



## STIM210 Multi-Axis Gyro Module

## 10.7 u (OUTPUT UNIT) command

General description: Sets the unit of the transmission in Normal Mode to angular rate or incremental angle.

Note that this change will only be effective until STIM210 is initialized, reset or powered off, unless the new setting has been stored in flash using the SAVE-command (ref. section 10.10). In order to use or test a new setting in Normal Mode without permanently storing it, this can be achieved by using the EXIT n-command (ref. section 10.11).

### Table 10-20: Available u (OUTPUT UNIT) command

Syntax	Response
u <sp><outunit><cr></cr></outunit></sp>	Changes the unit of the transmission in Normal Mode

### Table 10-21: Allowed values for <outunit> for u (OUTPUT UNIT) command

<outunit></outunit>	Result	
а	Changes the unit of the transmission in Normal Mode to angular rate [°/s]	
i	Changes the unit of the transmission in Normal Mode to incremental angle [°/sample]	
m	Changes the unit of the transmission in Normal Mode to average angular rate [°/s]	
S	Changes the unit of the transmission in Normal Mode to integrated angle [°]	

### Table 10-22: Error messages for u (OUTPUT UNIT) command

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF	Too many or too few parameters, use of comma between
	PARAMETERS	command and first parameter
E003	INVALID PARAMETER	Value of parameter outside valid range

```
>u a
OUTPUT UNIT = [°/s] – ANGULAR RATE
```

## Figure 10-25: Example of response from u a (OUTPUT UNIT) command

```
>u i
OUTPUT UNIT = [°/sample] – INCREMENTAL ANGLE
```

## Figure 10-26: Example of response from u i (OUTPUT UNIT) command

```
>u m
OUTPUT UNIT = [°/s] – AVERAGE ANGULAR RATE
```

### Figure 10-27: Example of response from u m (OUTPUT UNIT) command

>u s OUTPUT UNIT = [°] – INTEGRATED ANGLE

## Figure 10-28: Example of response from u s (OUTPUT UNIT) command





## STIM210 Multi-Axis Gyro Module

## 10.8 f (LP FILTER -3dB FREQUENCY) command

General description: Changes the low-pass filter -3dB frequency for one or all axes.

Note that filter settings should be considered together with the sample rate in order to avoid issues with folding due to under-sampling. No warnings will be issued by STIM210 if e.g. a high filter bandwidth and a low sample rate have been chosen. Also note that change in filter setting will change the group delay, ref. Table 6-5.

Note that this change will only be effective until STIM210 is initialized, reset or powered off, unless the new setting has been stored in flash using the SAVE-command (ref. section 10.10). In order to use or test a new setting in Normal Mode without permanently storing it, this can be achieved by using the EXIT n-command (ref. section 10.11).

#### Table 10-23: Available f (LP FILTER -3dB FREQUENCY) commands

Syntax	Response
f <sp>&lt;-3dBfreq&gt;<cr></cr></sp>	Changes the LP filter -3dB frequency for all axes
f <sp>&lt;-3dBfreq&gt;','<axis><cr></cr></axis></sp>	Changes the LP filter -3dB frequency for a specified axis

#### Table 10-24: Allowed values for <-3dBfreq> parameter for f (LP FILTER -3dB FREQUENCY) commands

<-3dBfreq>	Result
16	Will change LP filter -3dB frequency to 16Hz
33	Will change LP filter -3dB frequency to 33Hz
66	Will change LP filter -3dB frequency to 66Hz
131	Will change LP filter -3dB frequency to 131Hz
262	Will change LP filter -3dB frequency to 262Hz

### Table 10-25: Allowed values for <axis> parameter for f (LP FILTER -3dB FREQUENCY) commands

<axis></axis>	Result
X	Will change LP filter -3dB frequency for X-axis only
У	Will change LP filter -3dB frequency for Y-axis only
Z	Will change LP filter -3dB frequency for Z-axis only

#### Table 10-26: Error messages for f (LP FILTER -3dB FREQUENCY) commands

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF	Too many or too few parameters, use of comma between
	PARAMETERS	command and first parameter
E003	INVALID PARAMETER	Value of parameter outside valid range

>f 66,x LP FILTER -3dB FREQUENCY = 66 Hz FOR X-AXIS

#### >

>f 131

>

## Figure 10-29: Example of response from f (LP FILTER -3dB FREQUENCY) command

LP FILTER -3dB FREQUENCY = 131 Hz FOR ALL AXES

## Figure 10-30: Example of response from f (LP FILTER -3dB FREQUENCY) command



## STIM210 Multi-Axis Gyro Module

## 10.9 m (SAMPLE RATE) command

General description: Changes the sample rate in Normal Mode. The sample rate is the same for all gyro channels.

Note that the sample rate could be considered invalid, even if it has been entered correctly. This is because a valid sample rate also depends on the bit rate and chosen datagram content (ref. Table 6-12 and error message E007 in Table 10-29).

Note that sample rate should be considered together with filter settings in order to avoid issues with folding due to under-sampling. No warnings will be issued by STIM210 if e.g. a high filter bandwidth and a low sample rate have been chosen.

Note that this change will only be effective until STIM210 is initialized, reset or powered off, unless the new setting has been stored in flash using the SAVE-command (ref. section 10.10). In order to use or test a new setting in Normal Mode without permanently storing it, this can be achieved by using the EXIT n-command (ref. section 10.11).

## Table 10-27: Available m (SAMPLE RATE) command

Syntax	Response
m <sp><sampl.freq><cr></cr></sampl.freq></sp>	Changes the sample rate in Normal Mode

### Table 10-28: Allowed values for <sampl.freq> parameter for m (SAMPLE RATE) command

<sampl.freq></sampl.freq>	Result
125	Will set sample rate to 125 samples /second
250	Will set sample rate to 250 samples /second
500	Will set sample rate to 500 samples /second
1000	Will set sample rate to 1000 samples /second
2000	Will set sample rate to 2000 samples /second
0	Enables External Trigger

#### Table 10-29: Error messages for m (SAMPLE RATE) command

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF	Too many or too few parameters, use of comma between
	PARAMETERS	command and first parameter
E003	INVALID PARAMETER	Value of parameter outside valid range
E007	DATAGRAM WILL BE TOO LONG	Combination of bit-rate, sample rate and datagram content results
	TO TRANSMIT	in a datagram that cannot be transmitted

>m 500 SAMPLE RATE = 500 samples/s

### Figure 10-31: Example of response from m (SAMPLE RATE) command

>m 0 SAMPLE RATE = EXTERNAL TRIGGER

## Figure 10-32: Example of response from m (SAMPLE RATE) command



## STIM210 Multi-Axis Gyro Module

## 10.10 s (SAVE) command

General description: Saves configuration parameters to flash. This will permanently change the configuration parameters and hence be valid after an initialization or power-off.

The flash used in STIM210 is specified to be capable of minimum 1000 saves. A save-counter has been implemented and when the number of saves exceeds 1000, there will be issued a warning. STIM210 will always attempt to save the configuration when receiving the s (SAVE) command regardless of the content of the save-counter.

### Table 10-30: Available s (SAVE) command

Syntax	Response
s <cr></cr>	Saves system parameters to flash. This command will require an additional confirmation prior to execution. Confirmation ("Y") to be responded in upper case letter. If transmission parameters have been changed (ref. TRANSMISSION PARAMETERS command, section 10.5) AND confirmation to the save-command is not "Y", then the transmission parameters, including bit-rate, will be reset to the previously saved settings

### Table 10-31: Error messages for s (SAVE) command

Message	Possible reason
UNKOWN COMMAND	Command is incorrectly entered
INCORRECT NUMBER OF	Any characters between command and <cr></cr>
PARAMETERS	
INVALID PARAMETER	Value of parameter outside valid range
EXCEEDED MAXIMUM NUMBER OF	Warning appears when maximum number of saves has been
SAVES	exceeded (1000 saves). STIM210 will always attempt to save
	the configuration when receiving the <u>s</u> (SAVE) command.
ERROR DURING SAVE	System parameters not successfully transferred to flash
	UNKOWN COMMAND INCORRECT NUMBER OF PARAMETERS INVALID PARAMETER EXCEEDED MAXIMUM NUMBER OF SAVES

>S SYSTEM PARAMETERS WILL BE PERMANENTLY CHANGED. CONFIRM SAVE(Y/N): Y SYSTEM PARAMETERS SUCCESSFULLY STORED IN FLASH. NUMBER OF SAVES = 26

### Figure 10-33: Example of response from s (SAVE) command when confirming save

>S SYSTEM PARAMETERS WILL BE PERMANENTLY CHANGED. CONFIRM SAVE(Y/N): N SAVE COMMAND ABORTED.

## Figure 10-34: Example of response from s (SAVE) command when not confirming save

>S SYSTEM PARAMETERS WILL BE PERMANENTLY CHANGED. CONFIRM SAVE(Y/N): y SAVE COMMAND ABORTED. E003 INVALID PARAMETER

Figure 10-35: Example of response from s (SAVE) command when not correctly responding to confirmation

>



# STIM210 Multi-Axis Gyro Module

## 10.11 x (EXIT) command

General description: Terminates Service Mode and returns to Normal Mode directly or via Init Mode (ref. Figure 8-6).

Table 10-32 : Available x (EXIT) command	
--	--

Syntax	Response
x <sp><exit_to><cr></cr></exit_to></sp>	Terminates Service Mode

### Table 10-33 : Allowed values for <exit\_to> for x (EXIT) command

<exit_to></exit_to>	Result
n	Terminates Service Mode and return to Normal Mode. If system parameters have been changed compared to flash content, a confirmation is requested before exiting to Normal Mode ("Y" in upper case letter). There will be a 2 seconds held time.
	to Normal Mode ("Y" in upper case letter). There will be a 3 seconds hold time between the transmitted command response and execution of the EXIT command.
i	Terminates Service Mode and return to Init Mode. If system parameters have been changed compared to flash content, a confirmation is requested before exiting to Normal Mode ("Y" in upper case letter). There will be a 3 seconds hold time between the transmitted command response and execution of the EXIT command. NB: Changes made to system parameters, but not saved, will be overwritten by the data already stored in flash when entering Init Mode.
N	Terminates Service Mode and return immediately to Normal Mode (without confirmation if system parameters have been changed compared to flash and without any hold time)
1	Terminates Service Mode and return immediately to Init Mode (without confirmation if system parameters have been changed compared to flash and without any hold time). NB: Changes made to system parameters, but not saved, will be overwritten by the data already stored in flash when entering Init Mode.

### Table 10-34: Error messages for x (EXIT) command

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF	Too many or too few parameters, use of comma between
	PARAMETERS	command and first parameter
E003	INVALID PARAMETER	Value of parameter outside valid range

SYSTEM RETURNING TO NORMAL MODE.

### Figure 10-36: Example of response from x n (EXIT) command when system parameters match contents of flash

>x i SYSTEM RETURNING TO INIT MODE.

Figure 10-37: Example of response from x i (EXIT) command when system parameters match contents of flash

CURRENT SYSTEM PARAMETERS DO NOT MATCH FLASH CONTENT. CONFIRM EXIT(Y/N): Y SYSTEM RETURNING TO NORMAL MODE.

Figure 10-38: Example of response from x n (EXIT) command after system parameters have been changed but not saved with confirmed EXIT.

>x n

>x n





# STIM210 Multi-Axis Gyro Module

CURRENT SYSTEM PARAMETERS DO NOT MATCH FLASH CONTENT. CONFIRM EXIT(Y/N): N

Figure 10-39: Example of response from x i (EXIT) command after system parameters have been changed but not saved with confirmed not to EXIT.

>x n CURRENT SYSTEM PARAMETERS DOES NOT MATCH FLASH CONTENT. CONFIRM EXIT(Y/N): n

E003 INVALID PARAMETER

>

>x i

>

Figure 10-40: Example of response from x n (EXIT) command after system parameters have been changed but not saved with incorrect response to confirmation.





## 10.12 z (RESTORE TO FACTORY SETTINGS) command

General description: Restores the configuration of the unit to its factory settings.

### Table 10-35: Available z (RESTORE TO FACTORY SETTINGS) commands

Syntax	Response	
z <cr></cr>	Restores the configuration of the unit to its factory settings.	
	NB: The restored configuration will not be permanent unless it is SAVEd to	
	flash before EXITing Service Mode, resetting the unit or turning off power.	
z <sp>,'s',<cr></cr></sp>	Restores the configuration of the unit to its factory settings and saves the	
	configuration to flash.	

### Table 10-36: Error messages for z (RESTOR TO FACTORY SETTINGS) command

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF	Any characters between command and <cr></cr>
	PARAMETERS	
E003	INVALID PARAMETER	Value of parameter outside valid range
E004	EXCEEDED MAXIMUM NUMBER OF	Warning appears when maximum number of saves has been
	SAVES	exceeded (1000 saves). STIM210 will always attempt to save
		the configuration when receiving the s (SAVE)-command.
E005	ERROR DURING SAVE	System parameters not successfully transferred to flash

RESTORE TO FACTORY SETTINGS.

CONFIRM CHANGE TO FACTORY SETTINGS (Y/N): Y

APPLYING FACTORY SETTINGS FACTORY SETTINGS APPLIED. TO PERMANENTLY STORE THE SETTINGS, USE THE SAVE OR 'z s' COMMAND.

>

>z

Figure 10-41: Example of response from z (RESTORE TO FACTORY SETTINGS) command with no change in transmission parameters.

>Z RESTORE TO FACTORY SETTINGS. CONFIRM CHANGE TO FACTORY SETTINGS(Y/N): Y

TRANSMISSION PARAMETERS WILL BE CHANGED. PLEASE CONFIRM (Y/N): Y THE TRANSMISSION CONFIGURATION WILL BE CHANGED TO: TRANSMISSION PROTOCOL = 460800 bits/s, 2 STOP-BIT(S), EVEN PARITY

APPLYING FACTORY SETTINGS FACTORY SETTINGS APPLIED. TO PERMANENTLY STORE THE SETTINGS, USE THE SAVE COMMAND.

Figure 10-42: Example of response from z (RESTORE TO FACTORY SETTINGS) command with change in transmission parameters.







>Z S

RESTORE TO FACTORY SETTINGS. CONFIRM CHANGE TO FACTORY SETTINGS(Y/N): Y

TRANSMISSION PARAMETERS WILL BE CHANGED. PLEASE CONFIRM (Y/N): Y THE TRANSMISSION CONFIGURATION WILL BE CHANGED TO: TRANSMISSION PROTOCOL = 460800 bits/s, 2 STOP-BIT(S), EVEN PARITY

APPLYING FACTORY SETTINGS FACTORY SETTINGS APPLIED AND SAVED. NUMBER OF SAVES = 26

>

Figure 10-43: Example of response from z s (RESTORE TO FACTORY SETTINGS with save of configuration) command with change in transmission parameters.





ButterflyGyro™

# STIM210 Multi-Axis Gyro Module

## 10.13 ? (HELP) command

General description: Help function on the available commands in Service Mode.

### Table 10-37: Available ? (HELP) commands

Syntax	Response
? <cr></cr>	Lists the available parameters for this command
? <sp><hlp><cr></cr></hlp></sp>	Responds with information on the specified command

### Table 10-38: Allowed values for <hlp> for ? (HELP) command

<hlp></hlp>	Result
i	Responds with information on the INFORMATION command
а	Responds with information on the SINGLE-SHOT MEASUREMENT command
С	Responds with information on the DIAGNOSTIC command
d	Responds with information on the DATAGRAM FORMAT command
t	Responds with information on the TRANSMISSION PARAMETERS command
r	Responds with information on the TERMINATION command
u	Responds with information on the OUTPUT UNIT command
f	Responds with information on the LP FILTER -3dB FREQUENCY command
m	Responds with information on the SAMPLE RATE command
S	Responds with information on the SAVE command
x	Responds with information on the EXIT command
Z	Responds with information on the RESTORE TO FACTORY SETTINGS command

#### Table 10-39: Error messages for ? (HELP) commands

Error	Message	Possible reason
E001	UNKOWN COMMAND	Command is incorrectly entered
E002	INCORRECT NUMBER OF	Too many or too few parameters, use of comma between
	PARAMETERS	command and first parameter
E003	INVALID PARAMETER	Value of parameter outside valid range

AVAILABLE PARAMETERS:

i: LISTS SPECIFIC INFORMATION

a: PERFORMS A SINGLE-SHOT MEASUREMENT

c: PERFORMS A DIAGNOSTIC OF THE UNIT

d: CHANGES DATAGRAM FORMAT

t : CHANGES TRANSMISSION PARAMETERS

r: CHANGES THE LINE TERMINATION AND DATAGRAM TERMINATION

u : CHANGES OUTPUT UNIT

f: CHANGES LP FILTER -3dB FREQUENCY

m: CHANGES SAMPLE RATE

s: SAVES CONFIGURATION DATA

**z: RESTORES FACTORY SETTINGS** 

x: EXITS SERVICE MODE

>

>?

Figure 10-44: Example of response from ? (HELP) command



# DATASHEET

ButterflyGyro<sup>™</sup>

## STIM210 Multi-Axis Gyro Module

>? i

- i: LISTS THE PRODUCT CONFIGURATION DATA
- i s: RETURNS THE SERIAL NUMBER
- i n: RETURNS THE PRODUCT NAME
- i x: RETURNS THE PART NUMBER
- i a: RETURNS THE AXIS CONFIGURATION
- i h: RETURNS THE HW CONFIGURATION AND REVISION
- i p: RETURNS THE FW CONFIGURATION AND REVISION
- i m: RETURNS THE SAMPLE RATE
- i f: RETURNS THE LP FILTER -3dB FREQUENCY
- i d: RETURNS THE DATAGRAM FORMAT
- i t: RETURNS THE TRANSMISSION PARAMETERS
- i r: RETURNS THE LINE TERMINATION AND DATAGRAM TERMINATION SETTING
- i u: RETURNS THE OUTPUT UNIT
- I e: PRINTS THE EXTENDED ERROR INFORMATION FROM THE LAST DETECTED ERROR IN NORMAL MODE

>

## Figure 10-45: Example of response from ? i (HELP on INFORMATION) command

a: PERFORMS A SINGLE-SHOT MEASUREMENT

>? a

## Figure 10-46: Example of response from ? a (HELP ON SINGLE-SHOT MEASUREMENT) command

>? c c: PERFORMS A DIAGNOSTIC OF THE UNIT

## Figure 10-47: Example of response from ? c (HELP on DIAGNOSTIC) command

>? d d s: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO STANDARD CONTENT d e: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO EXTENDED CONTENT d j: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO RATE AND TEMPERATURE d k: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO RATE AND COUNTER d l: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO RATE AND LATENCY d m: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO RATE, COUNTER AND LATENCY d m: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO RATE, TEMPERATURE AND LATENCY d n: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO RATE, TEMPERATURE AND COUNTER d o: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO RATE, TEMPERATURE AND COUNTER d o: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO RATE, TEMPERATURE AND LATENCY d p: CHANGES THE CONTENT OF THE DATAGRAMS IN NORMAL MODE TO RATE, TEMPERATURE AND LATENCY

>

## Figure 10-48: Example of response from ? d (HELP on DATAGRAM FORMAT) command

? t
t <bit-rate>: CHANGES THE BIT-RATE [bits/s]
t <bit-rate>, <stop-bits>, <parity>: CHANGES THE BIT-RATE [bits/s], NUMBER OF STOP-BITS AND PARITY
ALLOWED VALUES FOR <bit-rate>: 1500 TO 7500000
<bit-rate> MUST ONLY BE INCLUDED WHEN <bit-rate code> = f
ALLOWED VALUES FOR <stop-bits>: 1 AND 2
ALLOWED VALUES FOR <parity>: n (=NONE), e (=EVEN) AND o (=ODD)
>

## Figure 10-49: Example of response from ? t (HELP on TRANSMISSION PARAMETERS) command



# DATASHEET



## STIM210 Multi-Axis Gyro Module

#### >? r

r 0: TURNS LINE TERMINATION = OFF AND DATAGRAM TERMINATION = NONE

r 1: TURNS LINE TERMINATION = ON AND DATAGRAM TERMINATION = NONE

r 2: TURNS LINE TERMINATION = OFF AND DATAGRAM TERMINATION = <CR><LF>

r 3: TURNS LINE TERMINATION = ON AND DATAGRAM TERMINATION = <CR><LF>

>

## Figure 10-50: Example of response from ? r (HELP on TERMINATION) command

>? u u a: CHANGES OUTPUT UNIT TO ANGULAR RATE [°/s] u i: CHANGES OUTPUT UNIT TO INCREMENTAL ANGLE [°/sample] u m: CHANGES OUTPUT UNIT TO AVERAGE ANGULAR RATE [%] u s: CHANGES OUTPUT UNIT TO INTEGRATED ANGLE [°] >

### Figure 10-51: Example of response from ? u (HELP on OUTPUT UNIT) command

>? f f <-3dBfreq>: CHANGES THE LP FILTER -3dB FREQUENCY [Hz] FOR ALL AXES f <-3dBfreq>,<axis>: CHANGES THE LP FILTER -3dB FREQUENCY [Hz] FOR A SPECIFIC AXIS ALLOWED VALUES FOR <-3dBfreq> = 16, 33, 66, 131 AND 262 ALLOWED VALUES FOR <axis> = x, y AND z

## Figure 10-52: Example of response from ? f (HELP on LP FILTER -3dB FREQUENCY) command

>? m

m <sampl.freq>: CHANGES THE SAMPLE RATE [samples/s] ALLOWED VALUES FOR <sampl.freq> = 125, 250, 500, 1000, 2000 AND 0 (EXTERNAL TRIGGER)

## Figure 10-53: Example of response from ? m (HELP on SAMPLE RATE) command

>? s s: SAVES SYSTEM PARAMETERS TO FLASH

## Figure 10-54: Example of response from ? s (HELP on SAVE) command

>? z **z: RESTORES FACTORY SETTINGS** >

## Figure 10-55: Example of response from ? z (HELP on RESTORES TO FACTORY SETTINGS) command

>? x

x n: EXITS SERVICE MODE AND RETURNS TO NORMAL MODE x i: EXITS SERVICE MODE AND RETURNS TO INIT MODE

**x** N: EXITS SERVICE MODE AND RETURNS IMMEDIATELY TO NORMAL MODE

x I: EXITS SERVICE MODE AND RETURNS IMMEDIATELY TO INIT MODE

NB: NON-SAVED SYSTEM PARAMETERS WILL BE OVERWRITTEN BY STORED CONTENT IN FLASH WHEN EXITING TO INIT MODE

## Figure 10-56: Example of response from ? x (HELP on EXIT) command



DATASHEET

ButterflyGyro

STIM210 Multi-Axis Gyro Module

### 11 MARKING





Figure 11-1: Example of marking of STIM210

## 12 PART NUMBER / ORDERING INFORMATION

Configuration options in **bold** letters are the standard option.



Example: part number 84188-0032-1211 has the following configuration:

- X, Y and Z axis
- Angular Rate Output [°/s]
- Standard Datagram
- o 1000 samples/s
- -3dB bandwidth = 66Hz
- Bit-rate = 460800 bits/s
- o 2 stop-bits
- Odd parity
- Line termination ON
- No datagram termination



DATASHEET

ButterflyGyro™

NOTES

Information furnished by Sensonor is believed to be accurate and reliable. However, no responsibility is assumed by Sensonor for its use, nor for any infringements of patents or other rights of third parties that may result from its use. Sensonor reserves the right to make changes without further notice to any products herein. Sensonor makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does Sensonor assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages. No license is granted by implication or otherwise under any patent or patent rights of Sensonor. Trademarks and registered trademarks are the property of their respective owners. Sensonor products are not intended for any application in which the failure of the Sensonor product could create a situation where personal injury or death may occur. Should Buyer purchase or use Sensonor products for any such unintended or unauthorized application, Buyer shall indemnify and hold Sensonor and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable legal fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that Sensonor was negligent regarding the design or manufacture of the part.

#### Sensonor AS Phone: +47 3303 5000

sales@sensonor.com www.sensonor.com